

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032525\
 Data File : VY021632.D
 Acq On : 25 Mar 2025 13:49
 Operator : SY/MD
 Sample : Q1636-03
 Misc : 4.61g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 WC-1-VOC

Quant Time: Mar 26 01:36:20 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 05 12:42:45 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	42364	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	68429	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	58410	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.352	152	18824	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	26826	59.911	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	119.820%
35) Dibromofluoromethane	7.634	113	26557	59.043	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	118.080%
50) Toluene-d8	10.109	98	80291	47.145	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	94.300%
62) 4-Bromofluorobenzene	12.407	95	20147	34.777	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	69.560%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032525\
Data File : VY021632.D
Acq On : 25 Mar 2025 13:49
Operator : SY/MD
Sample : Q1636-03
Misc : 4.61g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
WC-1-VOC

Quant Time: Mar 26 01:36:20 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
Quant Title : SW846 8260
QLast Update : Wed Mar 05 12:42:45 2025
Response via : Initial Calibration

