

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032525\
 Data File : VY021634.D
 Acq On : 25 Mar 2025 14:35
 Operator : SY/MD
 Sample : Q1636-11
 Misc : 6.44g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 WC-3-VOC

Quant Time: Mar 26 01:36:45 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 05 12:42:45 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	230348	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	443804	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	417143	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	175922	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	160361	65.866	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	131.740%
35) Dibromofluoromethane	7.634	113	152844	52.394	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	104.780%
50) Toluene-d8	10.109	98	547832	49.598	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	99.200%
62) 4-Bromofluorobenzene	12.408	95	179870	47.874	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	95.740%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032525\
Data File : VY021634.D
Acq On : 25 Mar 2025 14:35
Operator : SY/MD
Sample : Q1636-11
Misc : 6.44g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
WC-3-VOC

Quant Time: Mar 26 01:36:45 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
Quant Title : SW846 8260
QLast Update : Wed Mar 05 12:42:45 2025
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.707 min Scan# 9

Delta R.T. -0.006 min

Lab File: VY021634.D

Acq: 25 Mar 2025 14:35

Instrument :

MSVOA_Y

ClientSampleId :





WC-3-VOC

Tgt Ion:168 Resp: 230348

Ion Ratio Lower Upper

168 100

99 58.5 46.0 69.0



#33

1,2-Dichloroethane-d4

Concen: 65.866 ug/l

RT: 8.061 min Scan# 1040

Delta R.T. -0.006 min

Lab File: VY021634.D




Acq: 25 Mar 2025 14:35


Tgt Ion: 65 Resp: 160361

Ion Ratio Lower Upper

65 100

67 51.1 0.0 102.8









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.616 min Scan# 1132
Delta R.T. -0.006 min
Lab File: VY021634.D
Acq: 25 Mar 2025 14:35




Instrument :
MSVOA_Y
ClientSampleId :
WC-3-VOC


Tgt Ion:114 Resp: 443804
Ion Ratio Lower Upper
114 100
63 21.5 0.0 40.8
88 15.5 0.0 30.8



#35
Dibromofluoromethane
Concen: 52.394 ug/l
RT: 7.634 min Scan# 970
Delta R.T. -0.006 min
Lab File: VY021634.D
Acq: 25 Mar 2025 14:35

Tgt Ion:113 Resp: 152844
Ion Ratio Lower Upper
113 100
111 103.9 82.0 123.0
192 19.9 15.9 23.9









#50
Toluene-d8
Concen: 49.598 ug/l
RT: 10.109 min Scan# 1376
Delta R.T. 0.000 min
Lab File: VY021634.D
Acq: 25 Mar 2025 14:35




Instrument :
MSVOA_Y
ClientSampleId :
WC-3-VOC


Tgt Ion: 98 Resp: 547832
Ion Ratio Lower Upper
98 100
100 64.8 52.1 78.1



#62
4-Bromofluorobenzene
Concen: 47.874 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. 0.000 min
Lab File: VY021634.D
Acq: 25 Mar 2025 14:35

Tgt Ion: 95 Resp: 179870
Ion Ratio Lower Upper
95 100
174 82.3 0.0 165.0
176 79.4 0.0 160.0









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.414 min Scan# 11
Delta R.T. -0.006 min
Lab File: VY021634.D
Acq: 25 Mar 2025 14:35

Instrument :
MSVOA_Y
ClientSampleId :
WC-3-VOC

Tgt Ion:117 Resp: 417143
Ion Ratio Lower Upper
117 100
82 56.7 44.6 67.0
119 31.5 25.4 38.0



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.346 min Scan# 1907
Delta R.T. -0.006 min
Lab File: VY021634.D
Acq: 25 Mar 2025 14:35

Tgt Ion:152 Resp: 175922
Ion Ratio Lower Upper
152 100
115 57.9 29.0 87.0
150 155.0 0.0 347.2

