

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032625\
 Data File : VY021644.D
 Acq On : 26 Mar 2025 13:36
 Operator : SY/MD
 Sample : VY0326SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0326SBL01

Quant Time: Mar 27 01:31:19 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 05 12:42:45 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	248088	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	464192	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	405175	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	156839	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	142343	54.285	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	108.580%
35) Dibromofluoromethane	7.634	113	151976	49.809	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	99.620%
50) Toluene-d8	10.109	98	561046	48.564	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.120%
62) 4-Bromofluorobenzene	12.407	95	168088	42.773	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	85.540%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032625\
Data File : VY021644.D
Acq On : 26 Mar 2025 13:36
Operator : SY/MD
Sample : VY0326SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0326SBL01

Quant Time: Mar 27 01:31:19 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
Quant Title : SW846 8260
QLast Update : Wed Mar 05 12:42:45 2025
Response via : Initial Calibration

