

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032625\
 Data File : VY021651.D
 Acq On : 26 Mar 2025 16:58
 Operator : SY/MD
 Sample : Q1636-03
 Misc : 5.03g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 WC-1-VOC

Quant Time: Mar 27 01:33:06 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 05 12:42:45 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	236711	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	439837	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	403215	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	163134	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	144738	57.851	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	115.700%
35) Dibromofluoromethane	7.634	113	150026	51.892	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	103.780%
50) Toluene-d8	10.109	98	540196	49.348	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.700%
62) 4-Bromofluorobenzene	12.408	95	168179	45.166	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	90.340%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032625\
Data File : VY021651.D
Acq On : 26 Mar 2025 16:58
Operator : SY/MD
Sample : Q1636-03
Misc : 5.03g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
WC-1-VOC

Quant Time: Mar 27 01:33:06 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
Quant Title : SW846 8260
QLast Update : Wed Mar 05 12:42:45 2025
Response via : Initial Calibration

