

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032725\
 Data File : VY021668.D
 Acq On : 27 Mar 2025 15:48
 Operator : SY/MD
 Sample : Q1645-03RE
 Misc : 4.82g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-4-VOCRE

Quant Time: Mar 28 04:01:20 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	128473	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	225530	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	200537	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	75293	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	77764	55.866	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	111.740%
35) Dibromofluoromethane	7.634	113	79615	54.420	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	108.840%
50) Toluene-d8	10.109	98	270818	48.659	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.320%
62) 4-Bromofluorobenzene	12.408	95	78824	41.871	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	83.740%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032725\
Data File : VY021668.D
Acq On : 27 Mar 2025 15:48
Operator : SY/MD
Sample : Q1645-03RE
Misc : 4.82g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-4-VOCRE

Quant Time: Mar 28 04:01:20 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration

