

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032825\
 Data File : VY021687.D
 Acq On : 28 Mar 2025 13:17
 Operator : SY/MD
 Sample : Q1656-01
 Misc : 5.02g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VNJ239

Quant Time: Mar 28 23:42:58 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	6252	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	9694	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	7942	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	1595	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	4953	73.119	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	146.240%
35) Dibromofluoromethane	7.634	113	3716	59.094	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	118.180%
50) Toluene-d8	10.103	98	11368	47.520	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	95.040%
62) 4-Bromofluorobenzene	12.401	95	2419	29.894	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	59.780%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032825\
Data File : VY021687.D
Acq On : 28 Mar 2025 13:17
Operator : SY/MD
Sample : Q1656-01
Misc : 5.02g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VNJ239

Quant Time: Mar 28 23:42:58 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration

