

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032825\
 Data File : VY021700.D
 Acq On : 28 Mar 2025 18:22
 Operator : SY/MD
 Sample : Q1664-11
 Misc : 4.86g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 P001-BBDGA-003-01

Quant Time: Mar 28 23:47:38 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T. QIon		Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	209464	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	407285	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	374541	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	150733	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	133978	59.035	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	118.060%
35) Dibromofluoromethane	7.634	113	138077	52.262	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	104.520%
50) Toluene-d8	10.109	98	499769	49.724	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	99.440%
62) 4-Bromofluorobenzene	12.408	95	154556	45.462	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	90.920%
Target Compounds						
20) Methylene Chloride	4.616	84	29985	10.107	ug/l	Qvalue 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032825\
Data File : VY021700.D
Acq On : 28 Mar 2025 18:22
Operator : SY/MD
Sample : Q1664-11
Misc : 4.86g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
P001-BBDGA-003-01

Quant Time: Mar 28 23:47:38 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration

