

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY033022\
 Data File : VY008124.D
 Acq On : 30 Mar 2022 20:46
 Operator : SY/MD
 Sample : N2176-03
 Misc : 6.02g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TT-156-IDWSO-20220329-3

Quant Time: Mar 31 05:03:50 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032522S.M
 Quant Title : SW846 8260
 QLast Update : Sat Mar 26 03:24:51 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	124968	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	223564	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	207541	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	88616	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.143	65	71592	57.100	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	114.200%
35) Dibromofluoromethane	7.722	113	71729	51.173	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	102.340%
50) Toluene-d8	10.179	98	273163	51.727	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	103.460%
62) 4-Bromofluorobenzene	12.483	95	89825	48.213	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	96.420%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY033022\
Data File : VY008124.D
Acq On : 30 Mar 2022 20:46
Operator : SY/MD
Sample : N2176-03
Misc : 6.02g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TT-156-IDWSO-20220329-3

Quant Time: Mar 31 05:03:50 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032522S.M
Quant Title : SW846 8260
QLast Update : Sat Mar 26 03:24:51 2022
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.789 min Scan# 91
Delta R.T. -0.000 min
Lab File: VY008124.D
Acq: 30 Mar 2022 20:46




Instrument :
MSVOA_Y
ClientSampleId :
TT-156-IDWSO-20220329-3


Tgt Ion:168 Resp: 124968
Ion Ratio Lower Upper
168 100
99 56.8 46.9 70.3



#33
1,2-Dichloroethane-d4
Concen: 57.100 ug/l
RT: 8.143 min Scan# 1037
Delta R.T. 0.007 min
Lab File: VY008124.D
Acq: 30 Mar 2022 20:46

Tgt Ion: 65 Resp: 71592
Ion Ratio Lower Upper
65 100
67 52.3 0.0 99.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.691 min Scan# 1126

Delta R.T. 0.006 min

Lab File: VY008124.D

Acq: 30 Mar 2022 20:46

Instrument :

MSVOA_Y

ClientSampleId :

TT-156-IDWSO-20220329-3





Tgt Ion:114 Resp: 223564

Ion Ratio Lower Upper

114 100

63 18.3 0.0 43.2

88 15.1 0.0 31.8



#35

Dibromofluoromethane

Concen: 51.173 ug/l

RT: 7.722 min Scan# 968

Delta R.T. 0.006 min

Lab File: VY008124.D

Acq: 30 Mar 2022 20:46




Tgt Ion:113 Resp: 71729


Ion Ratio Lower Upper

113 100

111 102.4 82.6 124.0

192 17.9 17.6 26.4









#50
Toluene-d8
Concen: 51.727 ug/l
RT: 10.179 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY008124.D
Acq: 30 Mar 2022 20:46




Instrument :
MSVOA_Y
ClientSampleId :
TT-156-IDWSO-20220329-3


Tgt Ion: 98 Resp: 273163
Ion Ratio Lower Upper
98 100
100 65.4 50.2 75.2



#62
4-Bromofluorobenzene
Concen: 48.213 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.000 min
Lab File: VY008124.D
Acq: 30 Mar 2022 20:46

Tgt Ion: 95 Resp: 89825
Ion Ratio Lower Upper
95 100
174 80.8 0.0 177.0
176 78.1 0.0 175.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.489 min Scan# 11
Delta R.T. 0.000 min
Lab File: VY008124.D
Acq: 30 Mar 2022 20:46

Instrument :
MSVOA_Y
ClientSampleId :
TT-156-IDWSO-20220329-3

Tgt Ion:117 Resp: 207541
Ion Ratio Lower Upper
117 100
82 52.9 43.0 64.4
119 32.4 25.4 38.0



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. 0.000 min
Lab File: VY008124.D
Acq: 30 Mar 2022 20:46

Tgt Ion:152 Resp: 88616
Ion Ratio Lower Upper
152 100
115 57.9 28.2 84.7
150 156.5 0.0 347.6

