

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040125\
 Data File : VY021735.D
 Acq On : 01 Apr 2025 12:36
 Operator : SY/MD
 Sample : Q1681-03
 Misc : 5.05g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-12-VOC

Quant Time: Apr 02 03:22:42 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	269411	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	507087	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	471017	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	194584	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	164405	56.323	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	112.640%
35) Dibromofluoromethane	7.628	113	170063	51.700	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	103.400%
50) Toluene-d8	10.103	98	611152	48.838	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.680%
62) 4-Bromofluorobenzene	12.408	95	200939	47.472	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	94.940%
Target Compounds						
16) Acetone	3.860	43	11055	18.505	ug/l	Qvalue 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040125\
Data File : VY021735.D
Acq On : 01 Apr 2025 12:36
Operator : SY/MD
Sample : Q1681-03
Misc : 5.05g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-12-VOC

Quant Time: Apr 02 03:22:42 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration

