

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040225\
 Data File : VY021749.D
 Acq On : 02 Apr 2025 10:19
 Operator : SY/MD
 Sample : VY0402SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0402SBL01

Quant Time: Apr 03 03:34:26 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	243767	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	452818	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	417006	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	165766	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	142242	53.856	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	107.720%
35) Dibromofluoromethane	7.634	113	153366	52.212	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	104.420%
50) Toluene-d8	10.109	98	556095	49.764	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	99.520%
62) 4-Bromofluorobenzene	12.407	95	175264	46.369	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	92.740%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040225\
Data File : VY021749.D
Acq On : 02 Apr 2025 10:19
Operator : SY/MD
Sample : VY0402SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0402SBL01

Quant Time: Apr 03 03:34:26 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration

