

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040225\
 Data File : VY021757.D
 Acq On : 02 Apr 2025 14:08
 Operator : SY/MD
 Sample : Q1686-01
 Misc : 5.01g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 EO-03-040125

Quant Time: Apr 03 03:36:11 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	203680	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	392545	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	376554	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	168202	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	131485	59.581	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	119.160%
35) Dibromofluoromethane	7.634	113	136005	53.411	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	106.820%
50) Toluene-d8	10.103	98	487262	50.300	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.600%
62) 4-Bromofluorobenzene	12.401	95	161507	49.290	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	98.580%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040225\
Data File : VY021757.D
Acq On : 02 Apr 2025 14:08
Operator : SY/MD
Sample : Q1686-01
Misc : 5.01g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
EO-03-040125

Quant Time: Apr 03 03:36:11 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration

