

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040225\
 Data File : VY021760.D
 Acq On : 02 Apr 2025 15:18
 Operator : SY/MD
 Sample : Q1693-11
 Misc : 5.04g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 WCS-TP-1-VOC

Quant Time: Apr 03 03:36:48 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	240135	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	465431	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	450599	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	188129	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	162970	62.638	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	125.280%
35) Dibromofluoromethane	7.634	113	160084	53.022	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	106.040%
50) Toluene-d8	10.109	98	584945	50.927	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	101.860%
62) 4-Bromofluorobenzene	12.408	95	193007	49.679	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	99.360%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040225\
Data File : VY021760.D
Acq On : 02 Apr 2025 15:18
Operator : SY/MD
Sample : Q1693-11
Misc : 5.04g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
WCS-TP-1-VOC

Quant Time: Apr 03 03:36:48 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration

