

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040325\
 Data File : VY021765.D
 Acq On : 03 Apr 2025 11:34
 Operator : SY/MD
 Sample : VY0403SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0403SBL01

Quant Time: Apr 04 01:29:56 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	249432	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	475813	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	424056	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	162342	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	132130	48.891	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	97.780%
35) Dibromofluoromethane	7.634	113	152760	49.493	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	98.980%
50) Toluene-d8	10.109	98	585314	49.848	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	99.700%
62) 4-Bromofluorobenzene	12.408	95	171818	43.260	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	86.520%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040325\
Data File : VY021765.D
Acq On : 03 Apr 2025 11:34
Operator : SY/MD
Sample : VY0403SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0403SBL01

Quant Time: Apr 04 01:29:56 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration

