

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040325\
 Data File : VY021768.D
 Acq On : 03 Apr 2025 13:10
 Operator : SY/MD
 Sample : Q1685-01
 Misc : 5.03g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 HR-02-040125

Quant Time: Apr 04 01:30:49 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	258143	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	494176	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	462391	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	179407	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	154319	55.175	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	110.340%
35) Dibromofluoromethane	7.634	113	166520	51.946	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	103.900%
50) Toluene-d8	10.109	98	614928	50.424	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.840%
62) 4-Bromofluorobenzene	12.408	95	191721	46.478	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	92.960%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040325\
Data File : VY021768.D
Acq On : 03 Apr 2025 13:10
Operator : SY/MD
Sample : Q1685-01
Misc : 5.03g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
HR-02-040125

Quant Time: Apr 04 01:30:49 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration

