

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040325\
 Data File : VY021773.D
 Acq On : 03 Apr 2025 15:07
 Operator : SY/MD
 Sample : Q1695-07
 Misc : 4.62g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TT-3-VOC

Quant Time: Apr 04 01:31:56 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	282547	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	548072	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	508974	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	204741	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	160322	52.370	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	104.740%
35) Dibromofluoromethane	7.634	113	177538	49.937	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	99.880%
50) Toluene-d8	10.109	98	678611	50.174	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.340%
62) 4-Bromofluorobenzene	12.408	95	215547	47.115	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	94.240%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040325\
Data File : VY021773.D
Acq On : 03 Apr 2025 15:07
Operator : SY/MD
Sample : Q1695-07
Misc : 4.62g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TT-3-VOC

Quant Time: Apr 04 01:31:56 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 91
Delta R.T. 0.000 min
Lab File: VY021773.D
Acq: 03 Apr 2025 15:07




Instrument :
MSVOA_Y
ClientSampleId :
TT-3-VOC


Tgt Ion:168 Resp: 282547
Ion Ratio Lower Upper
168 100
99 58.4 46.7 70.1



#33
1,2-Dichloroethane-d4
Concen: 52.370 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. 0.000 min
Lab File: VY021773.D
Acq: 03 Apr 2025 15:07

Tgt Ion: 65 Resp: 160322
Ion Ratio Lower Upper
65 100
67 51.8 0.0 104.6









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.616 min Scan# 1131
 Delta R.T. 0.000 min
 Lab File: VY021773.D
 Acq: 03 Apr 2025 15:07




Instrument :
 MSVOA_Y
 ClientSampleId :
 TT-3-VOC


Tgt Ion:114 Resp: 548072
 Ion Ratio Lower Upper
 114 100
 63 20.9 0.0 40.2
 88 14.7 0.0 29.8



#35
 Dibromofluoromethane
 Concen: 49.937 ug/l
 RT: 7.634 min Scan# 970
 Delta R.T. 0.000 min
 Lab File: VY021773.D
 Acq: 03 Apr 2025 15:07

Tgt Ion:113 Resp: 177538
 Ion Ratio Lower Upper
 113 100
 111 103.2 82.6 123.8
 192 19.7 16.2 24.4









#50
Toluene-d8
Concen: 50.174 ug/l
RT: 10.109 min Scan# 1376
Delta R.T. 0.000 min
Lab File: VY021773.D
Acq: 03 Apr 2025 15:07




Instrument :
MSVOA_Y
ClientSampleId :
TT-3-VOC


Tgt Ion: 98 Resp: 678611
Ion Ratio Lower Upper
98 100
100 64.6 52.1 78.1



#62
4-Bromofluorobenzene
Concen: 47.115 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. 0.000 min
Lab File: VY021773.D
Acq: 03 Apr 2025 15:07

Tgt Ion: 95 Resp: 215547
Ion Ratio Lower Upper
95 100
174 83.3 0.0 170.8
176 80.9 0.0 162.0









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.414 min Scan# 11
Delta R.T. -0.006 min
Lab File: VY021773.D
Acq: 03 Apr 2025 15:07

Instrument :
MSVOA_Y
ClientSampleId :
TT-3-VOC

Tgt Ion:117 Resp: 508974
Ion Ratio Lower Upper
117 100
82 56.0 42.8 64.2
119 30.8 25.7 38.5



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.346 min Scan# 1907
Delta R.T. 0.000 min
Lab File: VY021773.D
Acq: 03 Apr 2025 15:07

Tgt Ion:152 Resp: 204741
Ion Ratio Lower Upper
152 100
115 58.8 28.8 86.5
150 158.6 0.0 348.4

