

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040425\
 Data File : VY021777.D
 Acq On : 04 Apr 2025 09:57
 Operator : SY/MD
 Sample : VY0404SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0404SBL01

Quant Time: Apr 04 23:38:26 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	292871	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	557825	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	508122	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	199436	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	166091	52.342	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	104.680%
35) Dibromofluoromethane	7.634	113	182822	50.524	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	101.040%
50) Toluene-d8	10.109	98	678710	49.304	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.600%
62) 4-Bromofluorobenzene	12.408	95	210519	45.212	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	90.420%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040425\
Data File : VY021777.D
Acq On : 04 Apr 2025 09:57
Operator : SY/MD
Sample : VY0404SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0404SBL01

Quant Time: Apr 04 23:38:26 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration

