

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040622\
 Data File : VY008232.D
 Acq On : 06 Apr 2022 14:08
 Operator : SY/MD
 Sample : N2270-01
 Misc : 4.99g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 FARMINGDALE-CLAY-1

Quant Time: Apr 07 02:11:51 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032522S.M
 Quant Title : SW846 8260
 QLast Update : Sat Mar 26 03:24:51 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	116397	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	206593	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	189854	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	74151	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.142	65	64234	55.004	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	110.000%
35) Dibromofluoromethane	7.716	113	64203	49.567	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	99.140%
50) Toluene-d8	10.179	98	251904	51.620	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	103.240%
62) 4-Bromofluorobenzene	12.483	95	76662	44.528	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	89.060%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040622\
Data File : VY008232.D
Acq On : 06 Apr 2022 14:08
Operator : SY/MD
Sample : N2270-01
Misc : 4.99g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
FARMINGDALE-CLAY-1

Quant Time: Apr 07 02:11:51 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032522S.M
Quant Title : SW846 8260
QLast Update : Sat Mar 26 03:24:51 2022
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.789 min Scan# 91
Delta R.T. -0.000 min
Lab File: VY008232.D
Acq: 06 Apr 2022 14:08




Instrument :
MSVOA_Y
ClientSampleId :
FARMINGDALE-CLAY-1


Tgt Ion:168 Resp: 116397
Ion Ratio Lower Upper
168 100
99 52.5 46.9 70.3



#33
1,2-Dichloroethane-d4
Concen: 55.004 ug/l
RT: 8.142 min Scan# 1037
Delta R.T. 0.006 min
Lab File: VY008232.D
Acq: 06 Apr 2022 14:08

Tgt Ion: 65 Resp: 64234
Ion Ratio Lower Upper
65 100
67 54.6 0.0 99.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.691 min Scan# 1126

Delta R.T. 0.006 min

Lab File: VY008232.D

Acq: 06 Apr 2022 14:08

Instrument :

MSVOA_Y

ClientSampleId :

FARMINGDALE-CLAY-1





Tgt Ion:114 Resp: 206593

Ion Ratio Lower Upper

114 100

63 17.9 0.0 43.2

88 14.3 0.0 31.8



#35

Dibromofluoromethane

Concen: 49.567 ug/l

RT: 7.716 min Scan# 967

Delta R.T. -0.000 min

Lab File: VY008232.D

Acq: 06 Apr 2022 14:08




Tgt Ion:113 Resp: 64203


Ion Ratio Lower Upper

113 100

111 103.2 82.6 124.0

192 17.9 17.6 26.4









#50
Toluene-d8
Concen: 51.620 ug/l
RT: 10.179 min Scan# 1371
Delta R.T. -0.000 min
Lab File: VY008232.D
Acq: 06 Apr 2022 14:08




Instrument :
MSVOA_Y
ClientSampleId :
FARMINGDALE-CLAY-1


Tgt Ion: 98 Resp: 251904
Ion Ratio Lower Upper
98 100
100 65.9 50.2 75.2



#62
4-Bromofluorobenzene
Concen: 44.528 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.000 min
Lab File: VY008232.D
Acq: 06 Apr 2022 14:08

Tgt Ion: 95 Resp: 76662
Ion Ratio Lower Upper
95 100
174 83.7 0.0 177.0
176 80.3 0.0 175.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.489 min Scan# 117
Delta R.T. 0.000 min
Lab File: VY008232.D
Acq: 06 Apr 2022 14:08

Instrument :
MSVOA_Y
ClientSampleId :
FARMINGDALE-CLAY-1

Tgt Ion:117 Resp: 189854
Ion Ratio Lower Upper
117 100
82 51.3 43.0 64.4
119 31.9 25.4 38.0



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. 0.000 min
Lab File: VY008232.D
Acq: 06 Apr 2022 14:08

Tgt Ion:152 Resp: 74151
Ion Ratio Lower Upper
152 100
115 58.8 28.2 84.7
150 159.7 0.0 347.6

