

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041025\
 Data File : VY021832.D
 Acq On : 10 Apr 2025 12:53
 Operator : SY/MD
 Sample : Q1732-03
 Misc : 3.83g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TT-8-VOC

Quant Time: Apr 11 01:50:18 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	221622	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	410979	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	354203	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	142054	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	128404	53.475	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	106.940%
35) Dibromofluoromethane	7.634	113	137150	51.445	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	102.900%
50) Toluene-d8	10.109	98	499853	49.285	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.580%
62) 4-Bromofluorobenzene	12.408	95	148318	43.235	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	86.460%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041025\
Data File : VY021832.D
Acq On : 10 Apr 2025 12:53
Operator : SY/MD
Sample : Q1732-03
Misc : 3.83g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TT-8-VOC

Quant Time: Apr 11 01:50:18 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration

