

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041025\
 Data File : VY021843.D
 Acq On : 10 Apr 2025 17:10
 Operator : SY/MD
 Sample : Q1752-07
 Misc : 5.96g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-3

Quant Time: Apr 11 01:52:16 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	216847	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	405056	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	356209	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	136625	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	136962	58.295	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	116.580%
35) Dibromofluoromethane	7.634	113	139175	52.968	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	105.940%
50) Toluene-d8	10.109	98	494066	49.427	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.860%
62) 4-Bromofluorobenzene	12.407	95	139439	41.241	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	82.480%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041025\
Data File : VY021843.D
Acq On : 10 Apr 2025 17:10
Operator : SY/MD
Sample : Q1752-07
Misc : 5.96g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-3

Quant Time: Apr 11 01:52:16 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration

