

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041725\
 Data File : VY021905.D
 Acq On : 17 Apr 2025 12:54
 Operator : SY/MD
 Sample : Q1826-03
 Misc : 4.35g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 CONCRETE-PILE

Quant Time: Apr 18 03:57:09 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	238052	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	433274	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	360446	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	133128	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	126988	49.235	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	98.460%
35) Dibromofluoromethane	7.634	113	140677	50.053	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.100%
50) Toluene-d8	10.109	98	513206	47.998	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	96.000%
62) 4-Bromofluorobenzene	12.408	95	140422	38.827	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	77.660%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041725\
Data File : VY021905.D
Acq On : 17 Apr 2025 12:54
Operator : SY/MD
Sample : Q1826-03
Misc : 4.35g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
CONCRETE-PILE

Quant Time: Apr 18 03:57:09 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration

