

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041725\
 Data File : VY021907.D
 Acq On : 17 Apr 2025 13:41
 Operator : SY/MD
 Sample : Q1818-03
 Misc : 5.72g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 RT-3873

Quant Time: Apr 18 03:57:58 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	144087	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	236207	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	182413	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	61233	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	62784	40.217	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	80.440%
35) Dibromofluoromethane	7.628	113	76995	50.250	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.500%
50) Toluene-d8	10.103	98	274418	47.077	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	94.160%
62) 4-Bromofluorobenzene	12.408	95	64325	32.625	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	65.240%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041725\
Data File : VY021907.D
Acq On : 17 Apr 2025 13:41
Operator : SY/MD
Sample : Q1818-03
Misc : 5.72g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
RT-3873

Quant Time: Apr 18 03:57:58 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration

