

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041725\
 Data File : VY021912.D
 Acq On : 17 Apr 2025 15:39
 Operator : SY/MD
 Sample : Q1828-01
 Misc : 4.35g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 RT4643

Quant Time: Apr 18 04:00:19 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	225571	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	421901	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	354508	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	128628	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	119278	48.805	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	97.600%
35) Dibromofluoromethane	7.634	113	136161	49.752	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	99.500%
50) Toluene-d8	10.109	98	498529	47.882	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	95.760%
62) 4-Bromofluorobenzene	12.407	95	135651	38.519	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	77.040%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041725\
Data File : VY021912.D
Acq On : 17 Apr 2025 15:39
Operator : SY/MD
Sample : Q1828-01
Misc : 4.35g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
RT4643

Quant Time: Apr 18 04:00:19 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration

