

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041825\
 Data File : VY021921.D
 Acq On : 18 Apr 2025 11:26
 Operator : SY/MD
 Sample : Q1818-03
 Misc : 4.74g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 RT-3873

Quant Time: Apr 19 01:10:25 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	170675	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	295979	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	241465	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	86441	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	87357	47.240	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	94.480%
35) Dibromofluoromethane	7.634	113	99156	51.645	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	103.280%
50) Toluene-d8	10.109	98	349298	47.822	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	95.640%
62) 4-Bromofluorobenzene	12.407	95	89983	36.421	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	72.840%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041825\
Data File : VY021921.D
Acq On : 18 Apr 2025 11:26
Operator : SY/MD
Sample : Q1818-03
Misc : 4.74g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
RT-3873

Quant Time: Apr 19 01:10:25 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration

