

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041825\
 Data File : VY021929.D
 Acq On : 18 Apr 2025 14:33
 Operator : SY/MD
 Sample : Q1832-26
 Misc : 5.60g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 PL-714-VOC-05

Quant Time: Apr 19 01:13:40 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	213306	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	407980	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	339834	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	119132	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	116136	50.251	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	100.500%
35) Dibromofluoromethane	7.634	113	132130	49.926	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	99.860%
50) Toluene-d8	10.109	98	487268	48.397	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	96.800%
62) 4-Bromofluorobenzene	12.408	95	128454	37.720	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	75.440%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041825\
Data File : VY021929.D
Acq On : 18 Apr 2025 14:33
Operator : SY/MD
Sample : Q1832-26
Misc : 5.60g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
PL-714-VOC-05

Quant Time: Apr 19 01:13:40 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.713 min Scan# 91
Delta R.T. 0.006 min
Lab File: VY021929.D
Acq: 18 Apr 2025 14:33




Instrument :
MSVOA_Y
ClientSampleId :
PL-714-VOC-05


Tgt Ion:168 Resp: 213306
Ion Ratio Lower Upper
168 100
99 56.7 46.7 70.1



#33
1,2-Dichloroethane-d4
Concen: 50.251 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. 0.000 min
Lab File: VY021929.D
Acq: 18 Apr 2025 14:33

Tgt Ion: 65 Resp: 116136
Ion Ratio Lower Upper
65 100
67 52.0 0.0 104.6









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.616 min Scan# 1131
Delta R.T. 0.000 min
Lab File: VY021929.D
Acq: 18 Apr 2025 14:33




Instrument :
MSVOA_Y
ClientSampleId :
PL-714-VOC-05


Tgt Ion:114 Resp: 407980
Ion Ratio Lower Upper
114 100
63 20.0 0.0 40.2
88 15.6 0.0 29.8



#35
Dibromofluoromethane
Concen: 49.926 ug/l
RT: 7.634 min Scan# 970
Delta R.T. 0.000 min
Lab File: VY021929.D
Acq: 18 Apr 2025 14:33

Tgt Ion:113 Resp: 132130
Ion Ratio Lower Upper
113 100
111 103.0 82.6 123.8
192 20.0 16.2 24.4









#50
Toluene-d8
Concen: 48.397 ug/l
RT: 10.109 min Scan# 11
Delta R.T. 0.000 min
Lab File: VY021929.D
Acq: 18 Apr 2025 14:33




Instrument :
MSVOA_Y
ClientSampleId :
PL-714-VOC-05


Tgt Ion: 98 Resp: 487268
Ion Ratio Lower Upper
98 100
100 64.0 52.1 78.1



#62
4-Bromofluorobenzene
Concen: 37.720 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. 0.000 min
Lab File: VY021929.D
Acq: 18 Apr 2025 14:33

Tgt Ion: 95 Resp: 128454
Ion Ratio Lower Upper
95 100
174 85.2 0.0 170.8
176 80.4 0.0 162.0





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.420 min Scan# 11

Delta R.T. 0.000 min

Lab File: VY021929.D

Acq: 18 Apr 2025 14:33

Instrument :

MSVOA_Y

ClientSampleId :

PL-714-VOC-05





Tgt Ion:117 Resp: 339834

Ion Ratio Lower Upper

117 100

82 54.2 42.8 64.2

119 32.6 25.7 38.5



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.346 min Scan# 1907

Delta R.T. 0.000 min

Lab File: VY021929.D

Acq: 18 Apr 2025 14:33

Tgt Ion:152 Resp: 119132

Ion Ratio Lower Upper

152 100

115 57.9 28.8 86.5

150 156.8 0.0 348.4

