

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041924\
 Data File : VY017995.D
 Acq On : 19 Apr 2024 13:46
 Operator : SY/MD
 Sample : P2147-07
 Misc : 6.47g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 GRAB-3

Quant Time: Apr 19 23:24:34 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y041624S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 17 06:24:42 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.795	168	352166	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	619825	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.496	117	559517	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	219377	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.143	65	158246	51.926	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 103.860%	
35) Dibromofluoromethane	7.722	113	193316	50.554	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 101.100%	
50) Toluene-d8	10.185	98	713697	49.187	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 98.380%	
62) 4-Bromofluorobenzene	12.489	95	200439	44.604	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 89.200%	
Target Compounds						
20) Methylene Chloride	4.716	84	44639	10.942	ug/l	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041924\
Data File : VY017995.D
Acq On : 19 Apr 2024 13:46
Operator : SY/MD
Sample : P2147-07
Misc : 6.47g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
GRAB-3

Quant Time: Apr 19 23:24:34 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y041624S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 17 06:24:42 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.795 min Scan# 91
Delta R.T. 0.006 min
Lab File: VY017995.D
Acq: 19 Apr 2024 13:46




Instrument :
MSVOA_Y
ClientSampleId :
GRAB-3


Tgt Ion:168 Resp: 352166
Ion Ratio Lower Upper
168 100
99 45.9 39.1 58.7



#20
Methylene Chloride
Concen: 10.942 ug/l
RT: 4.716 min Scan# 475
Delta R.T. 0.000 min
Lab File: VY017995.D
Acq: 19 Apr 2024 13:46

Tgt Ion: 84 Resp: 44639
Ion Ratio Lower Upper
84 100
49 101.4 84.4 126.6
51 32.5 26.0 39.0
86 60.9 49.5 74.3





#33

1,2-Dichloroethane-d4

Concen: 51.926 ug/l

RT: 8.143 min Scan# 1

Delta R.T. 0.000 min

Lab File: VY017995.D

Acq: 19 Apr 2024 13:46

Instrument :

MSVOA_Y

ClientSampleId :





GRAB-3

Tgt Ion: 65 Resp: 158246

Ion Ratio Lower Upper

65 100

67 55.3 0.0 109.6



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.697 min Scan# 1128

Delta R.T. 0.006 min

Lab File: VY017995.D

Acq: 19 Apr 2024 13:46




Tgt Ion: 114 Resp: 619825


Ion Ratio Lower Upper

114 100

63 17.0 0.0 35.0

88 13.9 0.0 27.2









#35
Dibromofluoromethane
Concen: 50.554 ug/l
RT: 7.722 min Scan# 91
Delta R.T. 0.000 min
Lab File: VY017995.D
Acq: 19 Apr 2024 13:46




Instrument :
MSVOA_Y
ClientSampleId :
GRAB-3


Tgt Ion:113 Resp: 193316
Ion Ratio Lower Upper
113 100
111 102.9 82.2 123.4
192 20.9 15.9 23.9



#50
Toluene-d8
Concen: 49.187 ug/l
RT: 10.185 min Scan# 1372
Delta R.T. 0.006 min
Lab File: VY017995.D
Acq: 19 Apr 2024 13:46

Tgt Ion: 98 Resp: 713697
Ion Ratio Lower Upper
98 100
100 65.0 52.0 78.0









#62
4-Bromofluorobenzene
Concen: 44.604 ug/l
RT: 12.489 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY017995.D
Acq: 19 Apr 2024 13:46




Instrument :
MSVOA_Y
ClientSampleId :
GRAB-3


Tgt Ion: 95 Resp: 200439
Ion Ratio Lower Upper
95 100
174 93.6 0.0 175.6
176 90.8 0.0 171.4



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.496 min Scan# 1587
Delta R.T. 0.006 min
Lab File: VY017995.D
Acq: 19 Apr 2024 13:46

Tgt Ion: 117 Resp: 559517
Ion Ratio Lower Upper
117 100
82 51.5 42.4 63.6
119 32.0 25.9 38.9





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.428 min Scan# 1904

Delta R.T. 0.000 min

Lab File: VY017995.D


Acq: 19 Apr 2024 13:46

Instrument :

MSVOA_Y

ClientSampleId :

GRAB-3



Tgt Ion:152 Resp: 219377

Ion Ratio Lower Upper

152 100

115 54.1 28.2 84.7

150 155.4 0.0 345.6

