

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042122\
 Data File : VY008446.D
 Acq On : 21 Apr 2022 17:25
 Operator : KP/MD
 Sample : N2476-01
 Misc : 5.05g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 PAT-01-041922

Quant Time: Apr 22 05:26:47 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042122S.M
 Quant Title : SW846 8260
 QLast Update : Thu Apr 21 14:28:40 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	4003	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	7100	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	7042	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	2677	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.143	65	2680	56.900	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	113.800%
35) Dibromofluoromethane	7.722	113	2294	50.063	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.120%
50) Toluene-d8	10.179	98	8219	45.225	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	90.460%
62) 4-Bromofluorobenzene	12.477	95	2652	42.981	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	85.960%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042122\
Data File : VY008446.D
Acq On : 21 Apr 2022 17:25
Operator : KP/MD
Sample : N2476-01
Misc : 5.05g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
PAT-01-041922

Quant Time: Apr 22 05:26:47 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042122S.M
Quant Title : SW846 8260
QLast Update : Thu Apr 21 14:28:40 2022
Response via : Initial Calibration

