

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042125\
 Data File : VY021939.D
 Acq On : 21 Apr 2025 11:37
 Operator : SY/MD
 Sample : Q1840-01RE
 Misc : 5.20g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OK-04-04182025RE

Quant Time: Apr 22 02:43:59 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	21284	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.610	114	24974	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	14125	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	2439	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.055	65	5765	24.999	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	50.000%
35) Dibromofluoromethane	7.628	113	5629	34.746	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	69.500%
50) Toluene-d8	10.109	98	26043	42.257	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	84.520%
62) 4-Bromofluorobenzene	12.402	95	3421	16.411	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	32.820%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042125\
Data File : VY021939.D
Acq On : 21 Apr 2025 11:37
Operator : SY/MD
Sample : Q1840-01RE
Misc : 5.20g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OK-04-04182025RE

Quant Time: Apr 22 02:43:59 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration

