

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042125\
 Data File : VY021947.D
 Acq On : 21 Apr 2025 14:44
 Operator : SY/MD
 Sample : Q1842-38
 Misc : 6.00g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 PL-714-VOC-14

Quant Time: Apr 22 02:45:39 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	202864	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	378989	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	333390	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	127027	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	118596	53.957	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	107.920%
35) Dibromofluoromethane	7.634	113	129118	52.520	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	105.040%
50) Toluene-d8	10.109	98	459454	49.126	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.260%
62) 4-Bromofluorobenzene	12.408	95	129571	40.958	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	81.920%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042125\
Data File : VY021947.D
Acq On : 21 Apr 2025 14:44
Operator : SY/MD
Sample : Q1842-38
Misc : 6.00g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
PL-714-VOC-14

Quant Time: Apr 22 02:45:39 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration

