

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042125\
 Data File : VY021941.D
 Acq On : 21 Apr 2025 12:23
 Operator : SY/MD
 Sample : Q1842-02
 Misc : 5.45g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 PL-714-VOC-08

Quant Time: Apr 22 02:44:26 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	212679	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	406396	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	360712	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	145254	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	134075	58.184	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	116.360%
35) Dibromofluoromethane	7.634	113	141405	53.639	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	107.280%
50) Toluene-d8	10.109	98	485244	48.384	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	96.760%
62) 4-Bromofluorobenzene	12.408	95	143942	42.432	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	84.860%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042125\
Data File : VY021941.D
Acq On : 21 Apr 2025 12:23
Operator : SY/MD
Sample : Q1842-02
Misc : 5.45g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
PL-714-VOC-08

Quant Time: Apr 22 02:44:26 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 982
Delta R.T. 0.000 min
Lab File: VY021941.D
Acq: 21 Apr 2025 12:23




Instrument :
MSVOA_Y
ClientSampleId :
PL-714-VOC-08


Tgt Ion:168 Resp: 212679
Ion Ratio Lower Upper
168 100
99 55.7 46.7 70.1



#33
1,2-Dichloroethane-d4
Concen: 58.184 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. 0.000 min
Lab File: VY021941.D
Acq: 21 Apr 2025 12:23

Tgt Ion: 65 Resp: 134075
Ion Ratio Lower Upper
65 100
67 52.0 0.0 104.6









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.616 min Scan# 1131
Delta R.T. 0.000 min
Lab File: VY021941.D
Acq: 21 Apr 2025 12:23




Instrument :
MSVOA_Y
ClientSampleId :
PL-714-VOC-08


Tgt Ion:114 Resp: 406396
Ion Ratio Lower Upper
114 100
63 19.1 0.0 40.2
88 14.7 0.0 29.8



#35
Dibromofluoromethane
Concen: 53.639 ug/l
RT: 7.634 min Scan# 970
Delta R.T. 0.000 min
Lab File: VY021941.D
Acq: 21 Apr 2025 12:23

Tgt Ion:113 Resp: 141405
Ion Ratio Lower Upper
113 100
111 102.1 82.6 123.8
192 19.9 16.2 24.4









#50
Toluene-d8
Concen: 48.384 ug/l
RT: 10.109 min Scan# 1376
Delta R.T. 0.000 min
Lab File: VY021941.D
Acq: 21 Apr 2025 12:23




Instrument :
MSVOA_Y
ClientSampleId :
PL-714-VOC-08


Tgt Ion: 98 Resp: 485244
Ion Ratio Lower Upper
98 100
100 64.8 52.1 78.1



#62
4-Bromofluorobenzene
Concen: 42.432 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. 0.000 min
Lab File: VY021941.D
Acq: 21 Apr 2025 12:23

Tgt Ion: 95 Resp: 143942
Ion Ratio Lower Upper
95 100
174 85.5 0.0 170.8
176 82.0 0.0 162.0





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.414 min Scan# 11

Delta R.T. -0.006 min

Lab File: VY021941.D

Acq: 21 Apr 2025 12:23

Instrument :

MSVOA_Y

ClientSampleId :

PL-714-VOC-08





Tgt Ion:117 Resp: 360712

Ion Ratio Lower Upper

117 100

82 56.4 42.8 64.2

119 32.0 25.7 38.5



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.347 min Scan# 1907

Delta R.T. 0.000 min

Lab File: VY021941.D

Acq: 21 Apr 2025 12:23

Tgt Ion:152 Resp: 145254

Ion Ratio Lower Upper

152 100

115 58.0 28.8 86.5

150 155.5 0.0 348.4

