

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042221\
 Data File : VY004578.D
 Acq On : 22 Apr 2021 12:32
 Operator : SY/MD
 Sample : M2128-01
 Misc : 6.66G/5ML/MSVOA_Y/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 COMP-1

Quant Time: Apr 23 09:18:54 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y041221S.M
 Quant Title : SW846 8260
 QLast Update : Tue Apr 13 03:38:02 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.801	168	123309	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.703	114	219737	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.495	117	206795	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	95206	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.155	65	83687	61.08	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	122.16%
35) Dibromofluoromethane	7.734	113	67820	55.62	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	111.24%
50) Toluene-d8	10.185	98	269028	51.87	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	103.74%
62) 4-Bromofluorobenzene	12.483	95	91778	52.14	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	104.28%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042221\
Data File : VY004578.D
Acq On : 22 Apr 2021 12:32
Operator : SY/MD
Sample : M2128-01
Misc : 6.66G/5ML/MSVOA_Y/SOIL
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
COMP-1

Quant Time: Apr 23 09:18:54 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y041221S.M
Quant Title : SW846 8260
QLast Update : Tue Apr 13 03:38:02 2021
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.00 ug/l
RT: 7.801 min Scan# 981
Delta R.T. 0.000 min
Lab File: VY004578.D
Acq: 22 Apr 2021 12:32




Instrument :
MSVOA_Y
ClientSampled :
COMP-1


Tgt Ion:168 Resp: 123309
Ion Ratio Lower Upper
168 100
99 58.3 45.5 68.3



#33
1,2-Dichloroethane-d4
Concen: 61.08 ug/l
RT: 8.155 min Scan# 1039
Delta R.T. 0.000 min
Lab File: VY004578.D
Acq: 22 Apr 2021 12:32

Tgt Ion: 65 Resp: 83687
Ion Ratio Lower Upper
65 100
67 51.9 0.0 106.4









#34
1,4-Difluorobenzene
Concen: 50.00 ug/l
RT: 8.703 min Scan# 1129
Delta R.T. 0.006 min
Lab File: VY004578.D
Acq: 22 Apr 2021 12:32




Instrument :
MSVOA_Y
ClientSampled :
COMP-1


Tgt Ion:114 Resp: 219737
Ion Ratio Lower Upper
114 100
63 19.9 0.0 42.4
88 14.9 0.0 30.8



#35
Dibromofluoromethane
Concen: 55.62 ug/l
RT: 7.734 min Scan# 970
Delta R.T. 0.006 min
Lab File: VY004578.D
Acq: 22 Apr 2021 12:32

Tgt Ion:113 Resp: 67820
Ion Ratio Lower Upper
113 100
111 103.3 82.6 123.8
192 19.2 16.1 24.1









#50
Toluene-d8
Concen: 51.87 ug/l
RT: 10.185 min Scan# 1372
Delta R.T. 0.000 min
Lab File: VY004578.D
Acq: 22 Apr 2021 12:32




Instrument :
MSVOA_Y
ClientSampleId :
COMP-1


Tgt Ion: 98 Resp: 269028
Ion Ratio Lower Upper
98 100
100 64.7 51.8 77.6



#62
4-Bromofluorobenzene
Concen: 52.14 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.000 min
Lab File: VY004578.D
Acq: 22 Apr 2021 12:32

Tgt Ion: 95 Resp: 91778
Ion Ratio Lower Upper
95 100
174 82.2 0.0 162.4
176 79.8 0.0 156.0









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 11.495 min Scan# 1587
Delta R.T. 0.000 min
Lab File: VY004578.D
Acq: 22 Apr 2021 12:32

Instrument :
MSVOA_Y
ClientSampled :
COMP-1

Tgt Ion:117 Resp: 206795
Ion Ratio Lower Upper
117 100
82 56.8 44.9 67.3
119 31.6 25.4 38.0



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. 0.000 min
Lab File: VY004578.D
Acq: 22 Apr 2021 12:32

Tgt Ion:152 Resp: 95206
Ion Ratio Lower Upper
152 100
115 59.9 29.6 88.8
150 158.0 0.0 348.4

