

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042325\
 Data File : VY021963.D
 Acq On : 23 Apr 2025 10:31
 Operator : SY/MD
 Sample : VY0423SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0423SBL01

Quant Time: Apr 24 03:44:43 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 23 02:30:30 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	319981	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	599033	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	525205	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	194434	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	151146	51.139	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	102.280%
35) Dibromofluoromethane	7.634	113	197999	50.031	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.060%
50) Toluene-d8	10.109	98	710393	47.614	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	95.220%
62) 4-Bromofluorobenzene	12.408	95	193641	38.554	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	77.100%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042325\
Data File : VY021963.D
Acq On : 23 Apr 2025 10:31
Operator : SY/MD
Sample : VY0423SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0423SBL01

Quant Time: Apr 24 03:44:43 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 23 02:30:30 2025
Response via : Initial Calibration

