

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042325\
 Data File : VY021981.D
 Acq On : 23 Apr 2025 18:58
 Operator : SY/MD
 Sample : Q1859-01
 Misc : 4.43g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 COMP-1

Quant Time: Apr 24 03:48:00 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 23 02:30:30 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	315119	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	594440	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	522816	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	198189	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	155914	53.566	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	107.140%
35) Dibromofluoromethane	7.634	113	197379	50.260	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.520%
50) Toluene-d8	10.103	98	719773	48.615	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.240%
62) 4-Bromofluorobenzene	12.408	95	199467	40.020	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	80.040%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042325\
Data File : VY021981.D
Acq On : 23 Apr 2025 18:58
Operator : SY/MD
Sample : Q1859-01
Misc : 4.43g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
COMP-1

Quant Time: Apr 24 03:48:00 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 23 02:30:30 2025
Response via : Initial Calibration

