

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042325\
 Data File : VY021982.D
 Acq On : 23 Apr 2025 19:21
 Operator : SY/MD
 Sample : Q1859-02
 Misc : 5.71g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 COMP-2

Quant Time: Apr 24 03:48:12 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 23 02:30:30 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	298943	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	576008	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	529750	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	215851	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	163840	59.335	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	118.660%
35) Dibromofluoromethane	7.634	113	197135	51.804	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	103.600%
50) Toluene-d8	10.103	98	700579	48.833	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.660%
62) 4-Bromofluorobenzene	12.401	95	208937	43.262	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	86.520%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042325\
Data File : VY021982.D
Acq On : 23 Apr 2025 19:21
Operator : SY/MD
Sample : Q1859-02
Misc : 5.71g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
COMP-2

Quant Time: Apr 24 03:48:12 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 23 02:30:30 2025
Response via : Initial Calibration

