

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042423\
 Data File : VY013414.D
 Acq On : 24 Apr 2023 20:33
 Operator : KP/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 25 03:19:23 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042423S.M
 Quant Title : SW846 8260
 QLast Update : Tue Apr 25 02:39:58 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	97	0.00
2 T	Dichlorodifluoromethane	0.475	0.484	-1.9	96	0.00
3 P	Chloromethane	0.637	0.532	16.5	83	0.00
4 C	Vinyl Chloride	0.634	0.539	15.0#	84	0.00
5 T	Bromomethane	0.506	0.417	17.6	86	0.00
6 T	Chloroethane	0.438	0.360	17.8	84	0.00
7 T	Trichlorofluoromethane	0.961	0.939	2.3	95	0.00
8 T	Diethyl Ether	0.327	0.325	0.6	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.539	0.516	4.3	96	0.00
10 T	Methyl Iodide	0.677	0.700	-3.4	92	0.00
11 T	Tert butyl alcohol	0.066	0.056	15.2	95	0.00
12 CM	1,1-Dichloroethene	0.520	0.500	3.8#	92	0.00
13 T	Acrolein	0.054	0.040	25.9#	87	0.00
14 T	Allyl chloride	0.964	0.893	7.4	88	0.00
15 T	Acrylonitrile	0.183	0.185	-1.1	95	0.00
16 T	Acetone	0.216	0.187	13.4	76	0.00
17 T	Carbon Disulfide	1.688	1.657	1.8	93	0.00
18 T	Methyl Acetate	0.713	0.670	6.0	90	0.00
19 T	Methyl tert-butyl Ether	1.500	1.503	-0.2	94	0.00
20 T	Methylene Chloride	0.924	0.693	25.0#	101	0.00
21 T	trans-1,2-Dichloroethene	0.568	0.584	-2.8	97	0.00
22 T	Diisopropyl ether	1.885	1.896	-0.6	96	0.00
23 T	Vinyl Acetate	1.067	1.044	2.2	90	0.00
24 P	1,1-Dichloroethane	1.050	1.034	1.5	95	0.00
25 T	2-Butanone	0.274	0.255	6.9	86	0.00
26 T	2,2-Dichloropropane	0.905	0.866	4.3	92	0.00
27 T	cis-1,2-Dichloroethene	0.628	0.649	-3.3	99	0.00
28 T	Bromochloromethane	0.373	0.353	5.4	93	0.00
29 T	Tetrahydrofuran	0.170	0.170	0.0	93	0.00
30 C	Chloroform	1.044	1.078	-3.3#	100	0.00
31 T	Cyclohexane	0.981	0.905	7.7	93	0.00
32 T	1,1,1-Trichloroethane	0.932	0.938	-0.6	97	0.00
33 S	1,2-Dichloroethane-d4	0.548	0.526	4.0	98	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	96	0.00
35 S	Dibromofluoromethane	0.314	0.313	0.3	101	0.00
36 T	1,1-Dichloropropene	0.522	0.519	0.6	96	0.00
37 T	Ethyl Acetate	0.393	0.388	1.3	90	0.00
38 T	Carbon Tetrachloride	0.547	0.563	-2.9	98	0.00
39 T	Methylcyclohexane	0.615	0.632	-2.8	97	0.00
40 TM	Benzene	1.470	1.516	-3.1	98	0.00
41 T	Methacrylonitrile	0.183	0.182	0.5	92	0.00
42 TM	1,2-Dichloroethane	0.481	0.506	-5.2	99	0.00
43 T	Isopropyl Acetate	0.663	0.660	0.5	92	0.00
44 TM	Trichloroethene	0.391	0.405	-3.6	98	0.00
45 C	1,2-Dichloropropane	0.384	0.395	-2.9#	98	0.00
46 T	Dibromomethane	0.230	0.240	-4.3	99	0.00
47 T	Bromodichloromethane	0.515	0.544	-5.6	100	0.00
48 T	Methyl methacrylate	0.304	0.304	0.0	89	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042423\
 Data File : VY013414.D
 Acq On : 24 Apr 2023 20:33
 Operator : KP/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 25 03:19:23 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042423S.M
 Quant Title : SW846 8260
 QLast Update : Tue Apr 25 02:39:58 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.004	-33.3#	98	0.00
50 S	Toluene-d8	1.119	1.076	3.8	98	0.00
51 T	4-Methyl-2-Pentanone	0.369	0.379	-2.7	93	0.00
52 CM	Toluene	0.885	0.937	-5.9#	99	0.00
53 T	t-1,3-Dichloropropene	0.545	0.571	-4.8	97	0.00
54 T	cis-1,3-Dichloropropene	0.613	0.634	-3.4	97	0.00
55 T	1,1,2-Trichloroethane	0.305	0.324	-6.2	101	0.00
56 T	Ethyl methacrylate	0.423	0.455	-7.6	96	0.00
57 T	1,3-Dichloropropane	0.516	0.546	-5.8	100	0.00
58 T	2-Chloroethyl Vinyl ether	0.158	0.148	6.3	95	0.00
59 T	2-Hexanone	0.269	0.275	-2.2	90	0.00
60 T	Dibromochloromethane	0.370	0.400	-8.1	100	0.00
61 T	1,2-Dibromoethane	0.299	0.313	-4.7	97	0.00
62 S	4-Bromofluorobenzene	0.377	0.376	0.3	102	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	98	0.00
64 T	Tetrachloroethene	0.380	0.393	-3.4	101	0.00
65 PM	Chlorobenzene	1.089	1.126	-3.4	101	0.00
66 T	1,1,1,2-Tetrachloroethane	0.407	0.429	-5.4	103	0.00
67 C	Ethyl Benzene	1.913	1.994	-4.2#	100	0.00
68 T	m/p-Xylenes	0.727	0.771	-6.1	102	0.00
69 T	o-Xylene	0.688	0.718	-4.4	99	0.00
70 T	Styrene	1.150	1.237	-7.6	102	0.00
71 P	Bromoform	0.285	0.301	-5.6	102	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	102	0.00
73 T	Isopropylbenzene	3.782	3.819	-1.0	100	0.00
74 T	N-amyl acetate	1.346	1.343	0.2	94	0.00
75 P	1,1,2,2-Tetrachloroethane	0.924	0.937	-1.4	100	0.00
76 T	1,2,3-Trichloropropane	0.674	0.670	0.6	97	0.00
77 T	Bromobenzene	0.916	0.948	-3.5	103	0.00
78 T	n-propylbenzene	4.658	4.759	-2.2	101	0.00
79 T	2-Chlorotoluene	2.601	2.667	-2.5	102	0.00
80 T	1,3,5-Trimethylbenzene	3.087	3.198	-3.6	102	0.00
81 T	trans-1,4-Dichloro-2-butene	0.330	0.324	1.8	94	0.00
82 T	4-Chlorotoluene	2.711	2.748	-1.4	101	0.00
83 T	tert-Butylbenzene	2.674	2.743	-2.6	101	0.00
84 T	1,2,4-Trimethylbenzene	3.001	3.145	-4.8	102	0.00
85 T	sec-Butylbenzene	4.014	4.066	-1.3	100	0.00
86 T	p-Isopropyltoluene	3.228	3.338	-3.4	102	0.00
87 T	1,3-Dichlorobenzene	1.746	1.768	-1.3	102	0.00
88 T	1,4-Dichlorobenzene	1.764	1.742	1.2	100	0.00
89 T	n-Butylbenzene	3.150	3.220	-2.2	102	0.00
90 T	Hexachloroethane	0.679	0.682	-0.4	103	0.00
91 T	1,2-Dichlorobenzene	1.577	1.623	-2.9	102	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.163	0.164	-0.6	102	0.00
93 T	1,2,4-Trichlorobenzene	0.940	0.986	-4.9	106	0.00
94 T	Hexachlorobutadiene	0.547	0.570	-4.2	108	0.00
95 T	Naphthalene	2.039	2.261	-10.9	107	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042423\
Data File : VY013414.D
Acq On : 24 Apr 2023 20:33
Operator : KP/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Apr 25 03:19:23 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042423S.M
Quant Title : SW846 8260
QLast Update : Tue Apr 25 02:39:58 2023
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.838	0.918	-9.5	109	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6