

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042425\
 Data File : VY021995.D
 Acq On : 24 Apr 2025 12:49
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050EC

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 04/25/2025
 Supervised By :Semsettin Yesilyurt 04/25/2025

Quant Time: Apr 25 01:23:58 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 23 02:30:30 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	288086	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	443704	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	422078	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	230222	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	137895	51.821	ug/l	0.00
Spiked Amount 50.000	Range 50 - 163		Recovery = 103.640%			
35) Dibromofluoromethane	7.634	113	156069	53.241	ug/l	0.00
Spiked Amount 50.000	Range 54 - 147		Recovery = 106.480%			
50) Toluene-d8	10.109	98	610188	55.215	ug/l	0.00
Spiked Amount 50.000	Range 58 - 134		Recovery = 110.420%			
62) 4-Bromofluorobenzene	12.401	95	204326	54.922	ug/l	0.00
Spiked Amount 50.000	Range 30 - 143		Recovery = 109.840%			
Target Compounds						
					Qvalue	
2) Dichlorodifluoromethane	1.867	85	114424	46.613	ug/l	100
3) Chloromethane	2.062	50	184017	52.646	ug/l	100
4) Vinyl Chloride	2.202	62	218257	50.813	ug/l	100
5) Bromomethane	2.592	94	183226	49.513	ug/l	98
6) Chloroethane	2.732	64	148311	50.700	ug/l	99
7) Trichlorofluoromethane	3.056	101	285995	50.494	ug/l	97
8) Diethyl Ether	3.452	74	69314	47.018	ug/l	97
9) 1,1,2-Trichlorotrifluo...	3.812	101	147782	48.098	ug/l	99
10) Methyl Iodide	4.007	142	190319	53.500	ug/l	98
11) Tert butyl alcohol	4.885	59	32414	221.882	ug/l	99
12) 1,1-Dichloroethene	3.787	96	141507	49.411	ug/l	98
13) Acrolein	3.653	56	50931	194.247	ug/l	98
14) Allyl chloride	4.385	41	168487	50.526	ug/l	99
15) Acrylonitrile	5.061	53	132603	245.701	ug/l	99
16) Acetone	3.879	43	86841	249.262	ug/l	95
17) Carbon Disulfide	4.104	76	458583	50.220	ug/l	98
18) Methyl Acetate	4.385	43	65575	52.755	ug/l	97
19) Methyl tert-butyl Ether	5.116	73	322060	50.244	ug/l	100
20) Methylene Chloride	4.610	84	157768	46.888	ug/l	98
21) trans-1,2-Dichloroethene	5.110	96	165014	51.449	ug/l	94
22) Diisopropyl ether	6.018	45	393791	53.065	ug/l	98
23) Vinyl Acetate	5.958	43	1022452	255.651	ug/l	100
24) 1,1-Dichloroethane	5.915	63	261887	50.912	ug/l	98
25) 2-Butanone	6.902	43	143885	237.214	ug/l	97
26) 2,2-Dichloropropane	6.890	77	225043	49.916	ug/l	99
27) cis-1,2-Dichloroethene	6.890	96	185037	51.595	ug/l	99
28) Bromochloromethane	7.244	49	104039	52.072	ug/l	99
29) Tetrahydrofuran	7.262	42	97869	248.429	ug/l	98
30) Chloroform	7.421	83	293608	51.458	ug/l	97
31) Cyclohexane	7.701	56	215776	49.053	ug/l	99
32) 1,1,1-Trichloroethane	7.616	97	259651	50.300	ug/l	100
36) 1,1-Dichloropropene	7.835	75	203377	51.650	ug/l	100
37) Ethyl Acetate	6.988	43	70076	49.552	ug/l	99
38) Carbon Tetrachloride	7.817	117	239204	50.839	ug/l	98
39) Methylcyclohexane	9.109	83	254583	51.377	ug/l	96
40) Benzene	8.079	78	647471	52.603	ug/l	100

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042425\
 Data File : VY021995.D
 Acq On : 24 Apr 2025 12:49
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050EC

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 04/25/2025
 Supervised By :Semsettin Yesilyurt 04/25/2025

Quant Time: Apr 25 01:23:58 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 23 02:30:30 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.219	41	33433	43.247	ug/l #	79
42) 1,2-Dichloroethane	8.158	62	157834	51.792	ug/l	99
43) Isopropyl Acetate	8.195	43	135982	50.070	ug/l	99
44) Trichloroethene	8.866	130	172518	50.602	ug/l	99
45) 1,2-Dichloropropane	9.140	63	141705	52.059	ug/l	99
46) Dibromomethane	9.231	93	87699	51.468	ug/l	100
47) Bromodichloromethane	9.420	83	226723	53.262	ug/l	100
48) Methyl methacrylate	9.219	41	62767	49.994	ug/l	95
49) 1,4-Dioxane	9.237	88	18235	1004.054	ug/l	96
51) 4-Methyl-2-Pentanone	9.999	43	368845	259.080	ug/l	100
52) Toluene	10.170	92	432768	54.316	ug/l	100
53) t-1,3-Dichloropropene	10.396	75	193270	52.933	ug/l	98
54) cis-1,3-Dichloropropene	9.853	75	227522	52.421	ug/l	98
55) 1,1,2-Trichloroethane	10.573	97	119653	52.570	ug/l	99
56) Ethyl methacrylate	10.438	69	138649	53.268	ug/l	99
57) 1,3-Dichloropropane	10.719	76	190863	52.307	ug/l	100
58) 2-Chloroethyl Vinyl ether	9.713	63	357109	280.610	ug/l	99
59) 2-Hexanone	10.762	43	246044	262.019	ug/l	99
60) Dibromochloromethane	10.908	129	165836	52.626	ug/l	99
61) 1,2-Dibromoethane	11.011	107	112440	52.328	ug/l	99
64) Tetrachloroethene	10.646	164	198489	49.850	ug/l	98
65) Chlorobenzene	11.438	112	477643	50.605	ug/l	99
66) 1,1,1,2-Tetrachloroethane	11.518	131	172328	51.860	ug/l	100
67) Ethyl Benzene	11.518	91	811261	52.542	ug/l	100
68) m/p-Xylenes	11.627	106	656589	106.866	ug/l	100
69) o-Xylene	11.956	106	301060	53.164	ug/l	100
70) Styrene	11.969	104	517422	54.419	ug/l	99
71) Bromoform	12.133	173	97214	50.319	ug/l #	99
73) Isopropylbenzene	12.255	105	787680	51.210	ug/l	100
74) N-amyl acetate	12.072	43	125428	47.463	ug/l	99
75) 1,1,2,2-Tetrachloroethane	12.505	83	122396	47.198	ug/l	99
76) 1,2,3-Trichloropropane	12.554	75	89894m	45.586	ug/l	
77) Bromobenzene	12.530	156	194457	50.032	ug/l	99
78) n-propylbenzene	12.597	91	937658	51.190	ug/l	100
79) 2-Chlorotoluene	12.682	91	541409	50.824	ug/l	100
80) 1,3,5-Trimethylbenzene	12.737	105	650635	51.339	ug/l	99
81) trans-1,4-Dichloro-2-b...	12.304	75	38521	47.042	ug/l	99
82) 4-Chlorotoluene	12.779	91	562953	50.837	ug/l	100
83) tert-Butylbenzene	12.999	119	580389	51.063	ug/l	99
84) 1,2,4-Trimethylbenzene	13.042	105	659154	51.999	ug/l	100
85) sec-Butylbenzene	13.176	105	844537	50.778	ug/l	100
86) p-Isopropyltoluene	13.292	119	722832	51.181	ug/l	100
87) 1,3-Dichlorobenzene	13.285	146	390344	49.449	ug/l	100
88) 1,4-Dichlorobenzene	13.365	146	380313	48.646	ug/l	99
89) n-Butylbenzene	13.615	91	627547	49.712	ug/l	100
90) Hexachloroethane	13.877	117	150133	48.384	ug/l	100
91) 1,2-Dichlorobenzene	13.657	146	339446	49.302	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	14.273	75	18798	45.563	ug/l	92
93) 1,2,4-Trichlorobenzene	14.919	180	184715	47.344	ug/l	99
94) Hexachlorobutadiene	15.023	225	109994	45.822	ug/l	100
95) Naphthalene	15.145	128	310135	47.852	ug/l	100
96) 1,2,3-Trichlorobenzene	15.328	180	160134	47.548	ug/l	100

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042425\
Data File : VY021995.D
Acq On : 24 Apr 2025 12:49
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC


Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025

Quant Time: Apr 25 01:23:58 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 23 02:30:30 2025
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 91
Delta R.T. 0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC




Tgt Ion:168 Resp: 28808
Ion Ratio Lower Upper
168 100
99 52.1 43.1 64.7

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025




#2
Dichlorodifluoromethane
Concen: 46.613 ug/l
RT: 1.867 min Scan# 24
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Tgt Ion: 85 Resp: 114424
Ion Ratio Lower Upper
85 100
87 32.9 16.6 49.7





#3
Chloromethane
Concen: 52.646 ug/l
RT: 2.062 min Scan# 50
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC




Tgt Ion: 50 Resp: 18401
Ion Ratio Lower Upper
50 100
52 32.5 26.1 39.1

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025




#4
Vinyl Chloride
Concen: 50.813 ug/l
RT: 2.202 min Scan# 79
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Tgt Ion: 62 Resp: 218257
Ion Ratio Lower Upper
62 100
64 31.6 25.1 37.7





#5
Bromomethane
Concen: 49.513 ug/l
RT: 2.592 min Scan# 143
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC



Tgt Ion: 94 Resp: 183220
Ion Ratio Lower Upper
94 100
96 94.9 74.6 111.8




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#6
Chloroethane
Concen: 50.700 ug/l
RT: 2.732 min Scan# 166
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49


Tgt Ion: 64 Resp: 148311
Ion Ratio Lower Upper
64 100
66 33.3 26.2 39.4





#7
Trichlorofluoromethane
Concen: 50.494 ug/l
RT: 3.056 min Scan# 218
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC




Tgt Ion:101 Resp: 28599
Ion Ratio Lower Upper
101 100
103 64.3 53.6 80.4

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025




#8
Diethyl Ether
Concen: 47.018 ug/l
RT: 3.452 min Scan# 284
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49



Tgt Ion: 74 Resp: 69314
Ion Ratio Lower Upper
74 100
45 81.1 39.1 117.5









#9
1,1,2-Trichlorotrifluoroethane
Concen: 48.098 ug/l
RT: 3.812 min Scan# 34
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC

Tgt Ion:101 Resp: 14778
Ion Ratio Lower Upper
101 100
85 43.8 34.6 51.8
151 78.8 63.7 95.5




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#10
Methyl Iodide
Concen: 53.500 ug/l
RT: 4.007 min Scan# 375
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49

Tgt Ion:142 Resp: 190319
Ion Ratio Lower Upper
142 100
127 47.0 36.2 54.2
141 14.8 11.7 17.5





#11

Tert butyl alcohol

Concen: 221.882 ug/l

RT: 4.885 min Scan# 518

Delta R.T. 0.006 min

Lab File: VY021995.D

Acq: 24 Apr 2025 12:49

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050EC

Tgt Ion: 59 Resp: 32414

Ion Ratio Lower Upper

59 100





57 11.0 9.3 13.9

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/25/2025

Supervised By :Semsettin Yesilyurt 04/25/2025



#12

1,1-Dichloroethene

Concen: 49.411 ug/l

RT: 3.787 min Scan# 339

Delta R.T. -0.000 min

Lab File: VY021995.D

Acq: 24 Apr 2025 12:49




Tgt Ion: 96 Resp: 141507


Ion Ratio Lower Upper

96 100

61 143.5 113.0 169.4


98 62.1 51.4 77.2





#13
Acrolein
Concen: 194.247 ug/l
RT: 3.653 min Scan# 317
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC




Tgt Ion: 56 Resp: 50933
Ion Ratio Lower Upper
56 100
55 70.1 57.4 86.0

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#14
Allyl chloride
Concen: 50.526 ug/l
RT: 4.385 min Scan# 437
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Tgt Ion: 41 Resp: 168487
Ion Ratio Lower Upper
41 100
39 71.7 57.2 85.8
76 48.9 39.7 59.5





#15
Acrylonitrile
Concen: 245.701 ug/l
RT: 5.061 min Scan# 54
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC



Tgt Ion: 53 Resp: 13260
Ion Ratio Lower Upper
53 100
52 80.4 65.0 97.6
51 37.2 28.9 43.3




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#16
Acetone
Concen: 249.262 ug/l
RT: 3.879 min Scan# 354
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49


Tgt Ion: 43 Resp: 86841
Ion Ratio Lower Upper
43 100
58 36.4 27.0 40.4





#17
Carbon Disulfide
Concen: 50.220 ug/l
RT: 4.104 min Scan# 391
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC



Tgt Ion: 76 Resp: 45858
Ion Ratio Lower Upper
76 100
78 8.9 7.6 11.4




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#18
Methyl Acetate
Concen: 52.755 ug/l
RT: 4.385 min Scan# 437
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49

Tgt Ion: 43 Resp: 65575
Ion Ratio Lower Upper
43 100
74 31.9 24.2 36.4





#19

Methyl tert-butyl Ether

Concen: 50.244 ug/l

RT: 5.116 min Scan# 51

Delta R.T. -0.000 min

Lab File: VY021995.D

Acq: 24 Apr 2025 12:49

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050EC

Tgt Ion: 73 Resp: 322060

Ion Ratio Lower Upper





73 100

57 21.2 16.9 25.3

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#20

Methylene Chloride

Concen: 46.888 ug/l

RT: 4.610 min Scan# 474

Delta R.T. -0.000 min

Lab File: VY021995.D

Acq: 24 Apr 2025 12:49

Tgt Ion: 84 Resp: 157768




Ion Ratio Lower Upper


84 100

49 96.7 79.9 119.9

51 31.3 25.4 38.0


86 61.6 50.6 76.0





#21
trans-1,2-Dichloroethene
Concen: 51.449 ug/l
RT: 5.110 min Scan# 5110
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC




Tgt Ion: 96 Resp: 165014
Ion Ratio Lower Upper
96 100
61 125.4 92.6 138.8
98 64.3 50.2 75.4

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025




#22
Diisopropyl ether
Concen: 53.065 ug/l
RT: 6.018 min Scan# 705
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Tgt Ion: 45 Resp: 393791
Ion Ratio Lower Upper
45 100
43 56.4 43.6 65.4
87 33.9 28.2 42.4
59 12.6 10.0 15.0





#23
 Vinyl Acetate
 Concen: 255.651 ug/l
 RT: 5.958 min Scan# 695
 Delta R.T. -0.000 min
 Lab File: VY021995.D
 Acq: 24 Apr 2025 12:49




Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050EC




Tgt Ion: 43 Resp: 102245
 Ion Ratio Lower Upper
 43 100
 86 14.0 11.1 16.7

Manual Integrations
 APPROVED



Reviewed By :Mahesh Dadoda 04/25/2025
 Supervised By :Semsettin Yesilyurt 04/25/2025




#24
 1,1-Dichloroethane
 Concen: 50.912 ug/l
 RT: 5.915 min Scan# 688
 Delta R.T. -0.000 min
 Lab File: VY021995.D
 Acq: 24 Apr 2025 12:49



Tgt Ion: 63 Resp: 261887
 Ion Ratio Lower Upper
 63 100
 98 8.0 4.0 11.9
 100 5.8 2.0 6.0









#25
2-Butanone
Concen: 237.214 ug/l
RT: 6.902 min Scan# 849
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC

Tgt Ion: 43 Resp: 14388
Ion Ratio Lower Upper
43 100
72 32.1 27.0 40.4




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#26
2,2-Dichloropropane
Concen: 49.916 ug/l
RT: 6.890 min Scan# 848
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49

Tgt Ion: 77 Resp: 225043
Ion Ratio Lower Upper
77 100
97 24.6 12.4 37.4









#27
 cis-1,2-Dichloroethene
 Concen: 51.595 ug/l
 RT: 6.890 min Scan# 848
 Delta R.T. -0.000 min
 Lab File: VY021995.D
 Acq: 24 Apr 2025 12:49

Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050EC

Tgt Ion: 96 Resp: 18503
 Ion Ratio Lower Upper
 96 100
 61 126.7 0.0 251.4
 98 64.5 0.0 128.4




Manual Integrations
 APPROVED


Reviewed By :Mahesh Dadoda 04/25/2025
 Supervised By :Semsettin Yesilyurt 04/25/2025



#28
 Bromochloromethane
 Concen: 52.072 ug/l
 RT: 7.244 min Scan# 906
 Delta R.T. -0.000 min
 Lab File: VY021995.D
 Acq: 24 Apr 2025 12:49

Tgt Ion: 49 Resp: 104039
 Ion Ratio Lower Upper
 49 100
 129 2.9 0.0 5.0
 130 98.6 78.2 117.4





#29

Tetrahydrofuran

Concen: 248.429 ug/l

RT: 7.262 min Scan# 909

Delta R.T. -0.000 min

Lab File: VY021995.D

Acq: 24 Apr 2025 12:49

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050EC





Tgt Ion: 42 Resp: 97869

Ion	Ratio	Lower	Upper
42	100		
72	55.6	42.6	63.8
71	51.6	40.6	61.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#30

Chloroform

Concen: 51.458 ug/l

RT: 7.421 min Scan# 935




Delta R.T. -0.000 min


Lab File: VY021995.D

Acq: 24 Apr 2025 12:49

Tgt Ion: 83 Resp: 293608


Ion	Ratio	Lower	Upper
83	100		
85	66.8	51.3	76.9





#31
Cyclohexane
Concen: 49.053 ug/l
RT: 7.701 min Scan# 981
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC




Tgt Ion: 56 Resp: 215770
Ion Ratio Lower Upper
56 100
69 36.3 29.4 44.2
84 101.1 82.2 123.4

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025




#32
1,1,1-Trichloroethane
Concen: 50.300 ug/l
RT: 7.616 min Scan# 967
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Tgt Ion: 97 Resp: 259651
Ion Ratio Lower Upper
97 100
99 64.5 51.4 77.2
61 39.7 31.4 47.2





#33
1,2-Dichloroethane-d4
Concen: 51.821 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC




Tgt Ion: 65 Resp: 137895
Ion Ratio Lower Upper
65 100
67 52.8 0.0 105.8

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025




#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.616 min Scan# 1131
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Tgt Ion:114 Resp: 443704
Ion Ratio Lower Upper
114 100
63 18.0 0.0 35.4
88 15.0 0.0 28.2





#35
Dibromofluoromethane
Concen: 53.241 ug/l
RT: 7.634 min Scan# 91
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC




Tgt Ion: 113 Resp: 156069
Ion Ratio Lower Upper
113 100
111 101.8 81.8 122.8
192 19.5 15.6 23.4

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025




#36
1,1-Dichloropropene
Concen: 51.650 ug/l
RT: 7.835 min Scan# 1003
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Tgt Ion: 75 Resp: 203377
Ion Ratio Lower Upper
75 100
110 38.4 19.1 57.3
77 31.6 25.5 38.3





#37
Ethyl Acetate
Concen: 49.552 ug/l
RT: 6.988 min Scan# 80
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC




Tgt Ion: 43 Resp: 70070
Ion Ratio Lower Upper
43 100
61 17.4 13.8 20.6
70 12.0 9.2 13.8

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#38
Carbon Tetrachloride
Concen: 50.839 ug/l
RT: 7.817 min Scan# 1000
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49



Tgt Ion:117 Resp: 239204
Ion Ratio Lower Upper
117 100
119 96.7 76.2 114.4
121 30.8 24.0 36.0





#39

Methylcyclohexane

Concen: 51.377 ug/l

RT: 9.109 min Scan# 1

Delta R.T. -0.000 min

Lab File: VY021995.D


Acq: 24 Apr 2025 12:49

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050EC



Tgt Ion: 83 Resp: 25458

Ion Ratio Lower Upper

83 100

55 67.1 50.6 75.8




98 50.3 38.6 58.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/25/2025

Supervised By :Semsettin Yesilyurt 04/25/2025



#40

Benzene

Concen: 52.603 ug/l

RT: 8.079 min Scan# 1043

Delta R.T. -0.000 min

Lab File: VY021995.D




Acq: 24 Apr 2025 12:49


Tgt Ion: 78 Resp: 647471

Ion Ratio Lower Upper

78 100


77 24.3 19.3 28.9





#41
Methacrylonitrile
Concen: 43.247 ug/l
RT: 7.219 min Scan# 903
Delta R.T. -0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC



Tgt Ion: 41 Resp: 3343
Ion Ratio Lower Upper
41 100
39 69.7 36.6 55.0
67 106.2 72.2 108.4
52 41.6 27.6 41.4#




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#42
1,2-Dichloroethane
Concen: 51.792 ug/l
RT: 8.158 min Scan# 1056
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49


Tgt Ion: 62 Resp: 157834
Ion Ratio Lower Upper
62 100
98 10.5 0.0 22.0





#43
Isopropyl Acetate
Concen: 50.070 ug/l
RT: 8.195 min Scan# 1062
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC



Tgt Ion: 43 Resp: 13598
Ion Ratio Lower Upper
43 100
61 23.8 18.9 28.3
87 16.7 13.7 20.5




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#44
Trichloroethene
Concen: 50.602 ug/l
RT: 8.866 min Scan# 1172
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49

Tgt Ion:130 Resp: 172518
Ion Ratio Lower Upper
130 100
95 92.3 0.0 183.2





#45

1,2-Dichloropropane

Concen: 52.059 ug/l

RT: 9.140 min Scan# 1217

Delta R.T. -0.000 min

Lab File: VY021995.D

Acq: 24 Apr 2025 12:49

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050EC

Tgt Ion: 63 Resp: 14170

Ion Ratio Lower Upper





63 100

65 31.8 25.2 37.8

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#46

Dibromomethane

Concen: 51.468 ug/l

RT: 9.231 min Scan# 1232

Delta R.T. -0.000 min

Lab File: VY021995.D

Acq: 24 Apr 2025 12:49




Tgt Ion: 93 Resp: 87699


Ion Ratio Lower Upper

93 100

95 83.5 66.7 100.1

174 106.1 84.6 127.0





#47

Bromodichloromethane

Concen: 53.262 ug/l

RT: 9.420 min Scan# 1263

Delta R.T. -0.000 min

Lab File: VY021995.D

Acq: 24 Apr 2025 12:49

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050EC





Tgt Ion: 83 Resp: 22672

Ion	Ratio	Lower	Upper
83	100		
85	65.0	51.8	77.8
127	8.6	7.0	10.6

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#48

Methyl methacrylate

Concen: 49.994 ug/l

RT: 9.219 min Scan# 1230




Delta R.T. -0.000 min


Lab File: VY021995.D

Acq: 24 Apr 2025 12:49

Tgt Ion: 41 Resp: 62767

Ion	Ratio	Lower	Upper
41	100		
69	113.5	85.5	128.3
39	56.8	46.2	69.4





#49

1,4-Dioxane

Concen: 1004.054 ug/l

RT: 9.237 min Scan# 1233

Delta R.T. -0.000 min

Lab File: VY021995.D

Acq: 24 Apr 2025 12:49

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050EC

Tgt Ion:	88	Resp:	1823
Ion	Ratio	Lower	Upper
88	100		
43	21.7	21.3	31.9
58	64.3	50.5	75.7

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#50

Toluene-d8

Concen: 55.215 ug/l




RT: 10.109 min Scan# 1376


Delta R.T. 0.006 min

Lab File: VY021995.D

Acq: 24 Apr 2025 12:49


Tgt Ion:	98	Resp:	610188
Ion	Ratio	Lower	Upper
98	100		
100	64.9	51.6	77.4





#51
4-Methyl-2-Pentanone
Concen: 259.080 ug/l
RT: 9.999 min Scan# 1358
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC




Tgt Ion: 43 Resp: 368849
Ion Ratio Lower Upper
43 100
58 46.1 36.6 55.0

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025




#52
Toluene
Concen: 54.316 ug/l
RT: 10.170 min Scan# 1386
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Tgt Ion: 92 Resp: 432768
Ion Ratio Lower Upper
92 100
91 172.9 138.6 207.8





#53
t-1,3-Dichloropropene
Concen: 52.933 ug/l
RT: 10.396 min Scan# 1422
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC




Tgt Ion: 75 Resp: 193270
Ion Ratio Lower Upper
75 100
77 30.9 24.0 36.0

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025




#54
cis-1,3-Dichloropropene
Concen: 52.421 ug/l
RT: 9.853 min Scan# 1334
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Tgt Ion: 75 Resp: 227522
Ion Ratio Lower Upper
75 100
77 31.9 26.6 40.0
39 36.2 29.6 44.4





#55
1,1,2-Trichloroethane
Concen: 52.570 ug/l
RT: 10.573 min Scan# 1452
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC






Tgt Ion: 97 Resp: 11965

Ion	Ratio	Lower	Upper
97	100		
83	83.4	66.7	100.1
85	54.9	42.6	64.0
99	62.0	49.7	74.5

Manual Integrations
APPROVED




Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025




#56
Ethyl methacrylate
Concen: 53.268 ug/l
RT: 10.438 min Scan# 1430
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49

Tgt Ion: 69 Resp: 138649


Ion	Ratio	Lower	Upper
69	100		
41	51.2	40.7	61.1
39	27.7	23.3	34.9





#57
1,3-Dichloropropane
Concen: 52.307 ug/l
RT: 10.719 min Scan# 1475
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC



Tgt Ion: 76 Resp: 190863
Ion Ratio Lower Upper
76 100
78 33.0 26.6 39.8




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#58
2-Chloroethyl Vinyl ether
Concen: 280.610 ug/l
RT: 9.713 min Scan# 1311
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49


Tgt Ion: 63 Resp: 357109
Ion Ratio Lower Upper
63 100
106 32.1 25.3 37.9





#59
2-Hexanone
Concen: 262.019 ug/l
RT: 10.762 min Scan# 1483
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC




Tgt Ion: 43 Resp: 246044
Ion Ratio Lower Upper
43 100
58 62.8 32.0 96.0

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025




#60
Dibromochloromethane
Concen: 52.626 ug/l
RT: 10.908 min Scan# 1507
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Tgt Ion:129 Resp: 165836
Ion Ratio Lower Upper
129 100
127 77.8 38.5 115.3





#61
1,2-Dibromoethane
Concen: 52.328 ug/l
RT: 11.011 min Scan# 1524
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC




Tgt Ion:107 Resp: 112440
Ion Ratio Lower Upper
107 100
109 94.2 75.8 113.8

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025




#62
4-Bromofluorobenzene
Concen: 54.922 ug/l
RT: 12.401 min Scan# 1752
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Tgt Ion: 95 Resp: 204326
Ion Ratio Lower Upper
95 100
174 88.3 0.0 179.0
176 84.7 0.0 171.8





#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.414 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC




Tgt Ion:117 Resp: 422078
Ion Ratio Lower Upper
117 100
82 52.7 42.1 63.1
119 32.3 25.7 38.5

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025




#64
Tetrachloroethene
Concen: 49.850 ug/l
RT: 10.646 min Scan# 1464
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Tgt Ion:164 Resp: 198489
Ion Ratio Lower Upper
164 100
166 126.2 103.6 155.4
129 93.6 74.2 111.4
131 88.4 72.6 108.8





#65
Chlorobenzene
Concen: 50.605 ug/l
RT: 11.438 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC




Tgt Ion:112 Resp: 47764
Ion Ratio Lower Upper
112 100
114 31.9 25.0 37.4

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025




#66
1,1,1,2-Tetrachloroethane
Concen: 51.860 ug/l
RT: 11.518 min Scan# 1607
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49



Tgt Ion:131 Resp: 172328
Ion Ratio Lower Upper
131 100
133 95.0 47.8 143.3
119 65.0 32.4 97.0









#67
Ethyl Benzene
Concen: 52.542 ug/l
RT: 11.518 min Scan# 1607
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC

Tgt Ion: 91 Resp: 81126
Ion Ratio Lower Upper
91 100
106 32.3 25.9 38.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#68
m/p-Xylenes
Concen: 106.866 ug/l
RT: 11.627 min Scan# 1625
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49


Tgt Ion:106 Resp: 656589
Ion Ratio Lower Upper
106 100
91 195.1 156.2 234.2





#69
o-Xylene
Concen: 53.164 ug/l
RT: 11.956 min Scan# 1679
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC



Tgt Ion:106 Resp: 301060
Ion Ratio Lower Upper
106 100
91 206.3 103.0 308.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#70
Styrene
Concen: 54.419 ug/l
RT: 11.969 min Scan# 1681
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49

Tgt Ion:104 Resp: 517422
Ion Ratio Lower Upper
104 100
78 45.7 36.6 54.8
103 54.1 43.8 65.8





#71

Bromoform

Concen: 50.319 ug/l

RT: 12.133 min Scan# 1708

Delta R.T. -0.000 min

Lab File: VY021995.D

Acq: 24 Apr 2025 12:49

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050EC

Tgt Ion:173	Resp:	97214
Ion Ratio	Lower	Upper
173	100	
175	48.1	24.3 72.8
254	0.1	0.0 0.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l




RT: 13.346 min Scan# 1907


Delta R.T. -0.000 min

Lab File: VY021995.D

Acq: 24 Apr 2025 12:49


Tgt Ion:152	Resp:	230222
Ion Ratio	Lower	Upper
152	100	
115	55.7	28.0 84.0
150	174.2	0.0 345.6





#73
Isopropylbenzene
Concen: 51.210 ug/l
RT: 12.255 min Scan# 1728
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC




Tgt Ion:105 Resp: 787680
Ion Ratio Lower Upper
105 100
120 27.1 13.5 40.5

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025




#74
N-ethyl acetate
Concen: 47.463 ug/l
RT: 12.072 min Scan# 1698
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49



Tgt Ion: 43 Resp: 125428
Ion Ratio Lower Upper
43 100
70 55.1 43.2 64.8
55 32.1 25.7 38.5
61 28.7 23.0 34.6






#75
 1,1,2,2-Tetrachloroethane
 Concen: 47.198 ug/l
 RT: 12.505 min Scan# 1769
 Delta R.T. -0.000 min
 Lab File: VY021995.D
 Acq: 24 Apr 2025 12:49

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050EC






Tgt Ion: 83 Resp: 122390

Ion	Ratio	Lower	Upper
83	100		
131	11.3	5.5	16.4
85	65.4	32.3	96.8

Manual Integrations

APPROVED




Reviewed By :Mahesh Dadoda 04/25/2025
 Supervised By :Semsettin Yesilyurt 04/25/2025




#76
 1,2,3-Trichloropropane
 Concen: 45.586 ug/l m
 RT: 12.554 min Scan# 1777
 Delta R.T. -0.000 min
 Lab File: VY021995.D
 Acq: 24 Apr 2025 12:49

Tgt Ion: 75 Resp: 89894

Ion	Ratio	Lower	Upper
75	100		
77	0.0	0.0	0.0





#77

Bromobenzene

Concen: 50.032 ug/l

RT: 12.530 min Scan# 1773

Delta R.T. -0.000 min

Lab File: VY021995.D


Acq: 24 Apr 2025 12:49

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050EC






Tgt Ion:	156	Resp:	19445
Ion Ratio	Lower	Upper	
156	100		
77	163.0	82.7	248.1
158	97.2	48.1	144.4

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#78

n-propylbenzene

Concen: 51.190 ug/l




RT: 12.597 min Scan# 1784


Delta R.T. 0.006 min

Lab File: VY021995.D

Acq: 24 Apr 2025 12:49


Tgt Ion:	91	Resp:	937658
Ion Ratio	Lower	Upper	
91	100		
120	23.9	11.9	35.5





#79
2-Chlorotoluene
Concen: 50.824 ug/l
RT: 12.682 min Scan# 1797
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC



Tgt Ion: 91 Resp: 541409
Ion Ratio Lower Upper
91 100
126 35.8 17.9 53.8




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#80
1,3,5-Trimethylbenzene
Concen: 51.339 ug/l
RT: 12.737 min Scan# 1807
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49


Tgt Ion:105 Resp: 650635
Ion Ratio Lower Upper
105 100
120 50.7 25.0 75.0





#81
trans-1,4-Dichloro-2-butene
Concen: 47.042 ug/l
RT: 12.304 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC



Tgt Ion: 75 Resp: 3852
Ion Ratio Lower Upper
75 100
53 81.7 66.0 99.0
89 46.5 37.2 55.8




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#82
4-Chlorotoluene
Concen: 50.837 ug/l
RT: 12.779 min Scan# 1814
Delta R.T. 0.006 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49

Tgt Ion: 91 Resp: 562953
Ion Ratio Lower Upper
91 100
126 35.7 17.9 53.8





#83

tert-Butylbenzene

Concen: 51.063 ug/l

RT: 12.999 min Scan# 1850

Delta R.T. 0.006 min

Lab File: VY021995.D

Acq: 24 Apr 2025 12:49

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050EC





Tgt Ion:119 Resp: 580389

Ion	Ratio	Lower	Upper
119	100		
91	61.2	30.3	90.9
134	26.5	12.9	38.7

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#84

1,2,4-Trimethylbenzene

Concen: 51.999 ug/l

RT: 13.042 min Scan# 1857




Delta R.T. -0.000 min


Lab File: VY021995.D

Acq: 24 Apr 2025 12:49

Tgt Ion:105 Resp: 659154

Ion	Ratio	Lower	Upper
105	100		
120	46.5	23.4	70.0





#85

sec-Butylbenzene

Concen: 50.778 ug/l

RT: 13.176 min Scan# 1879

Delta R.T. -0.000 min

Lab File: VY021995.D

Acq: 24 Apr 2025 12:49

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050EC

Tgt Ion:105 Resp: 84453

Ion Ratio Lower Upper

105 100





134 20.6 10.3 30.9

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/25/2025

Supervised By :Semsettin Yesilyurt 04/25/2025



#86

p-Isopropyltoluene

Concen: 51.181 ug/l

RT: 13.292 min Scan# 1898

Delta R.T. -0.000 min

Lab File: VY021995.D

Acq: 24 Apr 2025 12:49




Tgt Ion:119 Resp: 722832


Ion Ratio Lower Upper

119 100

134 26.8 13.6 40.7


91 22.1 11.0 33.0





#87
1,3-Dichlorobenzene
Concen: 49.449 ug/l
RT: 13.285 min Scan# 1897
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC



Tgt Ion:146 Resp: 390344
Ion Ratio Lower Upper
146 100
111 38.0 19.1 57.5
148 63.8 32.0 96.2




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#88
1,4-Dichlorobenzene
Concen: 48.646 ug/l
RT: 13.365 min Scan# 1910
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49

Tgt Ion:146 Resp: 380313
Ion Ratio Lower Upper
146 100
111 37.0 19.2 57.6
148 63.9 32.0 96.0









#89
n-Butylbenzene
Concen: 49.712 ug/l
RT: 13.615 min Scan# 1951
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC

Tgt Ion: 91 Resp: 62754
Ion Ratio Lower Upper
91 100
92 53.4 26.5 79.5
134 26.7 13.4 40.1




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#90
Hexachloroethane
Concen: 48.384 ug/l
RT: 13.877 min Scan# 1994
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49

Tgt Ion:117 Resp: 150133
Ion Ratio Lower Upper
117 100
201 77.6 38.7 116.1









#91
1,2-Dichlorobenzene
Concen: 49.302 ug/l
RT: 13.657 min Scan# 1958
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050EC

Tgt Ion:146 Resp: 339440
Ion Ratio Lower Upper
146 100
111 39.9 19.7 59.1
148 63.2 32.1 96.3




Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#92
1,2-Dibromo-3-Chloropropane
Concen: 45.563 ug/l
RT: 14.273 min Scan# 2059
Delta R.T. -0.000 min
Lab File: VY021995.D
Acq: 24 Apr 2025 12:49

Tgt Ion: 75 Resp: 18798
Ion Ratio Lower Upper
75 100
155 91.6 50.7 152.3
157 116.9 62.6 187.8





#93

1,2,4-Trichlorobenzene

Concen: 47.344 ug/l

RT: 14.919 min Scan# 2165

Delta R.T. -0.000 min

Lab File: VY021995.D


Acq: 24 Apr 2025 12:49

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050EC






Tgt Ion:	180	Resp:	184715
Ion Ratio	Lower	Upper	
180	100		
182	95.5	47.1	141.4
145	30.4	15.0	45.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/25/2025
Supervised By :Semsettin Yesilyurt 04/25/2025



#94

Hexachlorobutadiene

Concen: 45.822 ug/l




RT: 15.023 min Scan# 2182


Delta R.T. -0.000 min

Lab File: VY021995.D

Acq: 24 Apr 2025 12:49

Tgt Ion:	225	Resp:	109994
Ion Ratio	Lower	Upper	
225	100		
223	64.0	31.9	95.5
227	64.8	32.3	96.9





#95

Naphthalene

Concen: 47.852 ug/l

RT: 15.145 min Scan# 2201

Delta R.T. 0.006 min

Lab File: VY021995.D

Acq: 24 Apr 2025 12:49

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050EC

Tgt Ion:128 Resp: 310135
 Ion Ratio Lower Upper
 128 100
 127 13.2 10.6 16.0
 129 10.9 8.9 13.3

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/25/2025
 Supervised By :Semsettin Yesilyurt 04/25/2025



#96

1,2,3-Trichlorobenzene

Concen: 47.548 ug/l

RT: 15.328 min Scan# 2232

Delta R.T. -0.000 min

Lab File: VY021995.D

Acq: 24 Apr 2025 12:49

Tgt Ion:180 Resp: 160134
 Ion Ratio Lower Upper
 180 100
 182 95.7 48.1 144.4
 145 31.9 16.0 48.0

