

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042825\
 Data File : VY022032.D
 Acq On : 28 Apr 2025 15:28
 Operator : SY/MD
 Sample : Q1889-01
 Misc : 5.70g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 COMP-1

Quant Time: Apr 29 03:54:31 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 23 02:30:30 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	304513	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	584934	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	527708	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	198753	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	152207	54.114	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	108.220%
35) Dibromofluoromethane	7.634	113	200741	51.946	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	103.900%
50) Toluene-d8	10.109	98	706293	48.480	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	96.960%
62) 4-Bromofluorobenzene	12.408	95	194400	39.638	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	79.280%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042825\
Data File : VY022032.D
Acq On : 28 Apr 2025 15:28
Operator : SY/MD
Sample : Q1889-01
Misc : 5.70g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
COMP-1

Quant Time: Apr 29 03:54:31 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 23 02:30:30 2025
Response via : Initial Calibration

