

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042925\
 Data File : VY022052.D
 Acq On : 29 Apr 2025 13:09
 Operator : SY/MD
 Sample : Q1902-01
 Misc : 5.40g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 343RE

Quant Time: Apr 30 01:33:37 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 23 02:30:30 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.707	168	164440	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	294605	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	257253	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	95186	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	83283	54.831	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 109.660%	
35) Dibromofluoromethane	7.634	113	107279	55.119	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 110.240%	
50) Toluene-d8	10.109	98	347314	47.333	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 94.660%	
62) 4-Bromofluorobenzene	12.408	95	91832	37.177	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 74.360%	
Target Compounds						
					Qvalue	
16) Acetone	3.872	43	251	Below Cal	#	41
31) Cyclohexane	7.701	56	2855	1.137	ug/l #	1
36) 1,1-Dichloropropene	7.713	75	12120	4.636	ug/l #	47
38) Carbon Tetrachloride	7.701	117	15827	5.066	ug/l #	16
51) 4-Methyl-2-Pentanone	10.097	43	1018	1.077	ug/l #	1
76) 1,2,3-Trichloropropane	12.408	75	43209	52.997	ug/l #	100
81) trans-1,4-Dichloro-2-b...	12.408	75	43209	127.624	ug/l #	16

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042925\
Data File : VY022052.D
Acq On : 29 Apr 2025 13:09
Operator : SY/MD
Sample : Q1902-01
Misc : 5.40g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
343RE

Quant Time: Apr 30 01:33:37 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 23 02:30:30 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 91
Delta R.T. 0.000 min
Lab File: VY022052.D
Acq: 29 Apr 2025 13:09




Instrument :
MSVOA_Y
ClientSampleId :
343RE


Tgt Ion:168 Resp: 164440
Ion Ratio Lower Upper
168 100
99 51.3 43.1 64.7



#16
Acetone
Concen: Below Cal
RT: 3.872 min Scan# 353
Delta R.T. -0.007 min
Lab File: VY022052.D
Acq: 29 Apr 2025 13:09

Tgt Ion: 43 Resp: 251
Ion Ratio Lower Upper
43 100
58 0.0 27.0 40.4#









#31
Cyclohexane
Concen: 1.137 ug/l
RT: 7.701 min Scan# 981
Delta R.T. -0.000 min
Lab File: VY022052.D
Acq: 29 Apr 2025 13:09




Instrument :
MSVOA_Y
ClientSampleId :
343RE


Tgt Ion: 56 Resp: 2855
Ion Ratio Lower Upper
56 100
69 208.1 29.4 44.2#
84 156.7 82.2 123.4#



#33
1,2-Dichloroethane-d4
Concen: 54.831 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. -0.000 min
Lab File: VY022052.D
Acq: 29 Apr 2025 13:09

Tgt Ion: 65 Resp: 83283
Ion Ratio Lower Upper
65 100
67 53.5 0.0 105.8









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.616 min Scan# 1131
Delta R.T. -0.000 min
Lab File: VY022052.D
Acq: 29 Apr 2025 13:09




Instrument :
MSVOA_Y
ClientSampleId :
343RE


Tgt Ion:114 Resp: 294605
Ion Ratio Lower Upper
114 100
63 17.6 0.0 35.4
88 14.3 0.0 28.2



#35
Dibromofluoromethane
Concen: 55.119 ug/l
RT: 7.634 min Scan# 970
Delta R.T. -0.000 min
Lab File: VY022052.D
Acq: 29 Apr 2025 13:09

Tgt Ion:113 Resp: 107279
Ion Ratio Lower Upper
113 100
111 103.4 81.8 122.8
192 20.5 15.6 23.4









#36
 1,1-Dichloropropene
 Concen: 4.636 ug/l
 RT: 7.713 min Scan# 91
 Delta R.T. -0.122 min
 Lab File: VY022052.D
 Acq: 29 Apr 2025 13:09




Instrument :
 MSVOA_Y
 ClientSampleId :
 343RE


Tgt Ion: 75 Resp: 12120
 Ion Ratio Lower Upper
 75 100
 110 8.8 19.1 57.3#
 77 0.0 25.5 38.3#



#38
 Carbon Tetrachloride
 Concen: 5.066 ug/l
 RT: 7.701 min Scan# 981
 Delta R.T. -0.116 min
 Lab File: VY022052.D
 Acq: 29 Apr 2025 13:09

Tgt Ion: 117 Resp: 15827
 Ion Ratio Lower Upper
 117 100
 119 5.0 76.2 114.4#
 121 0.0 24.0 36.0#









#50
Toluene-d8
Concen: 47.333 ug/l
RT: 10.109 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY022052.D
Acq: 29 Apr 2025 13:09




Instrument :
MSVOA_Y
ClientSampleId :
343RE


Tgt Ion: 98 Resp: 347314
Ion Ratio Lower Upper
98 100
100 64.0 51.6 77.4



#51
4-Methyl-2-Pentanone
Concen: 1.077 ug/l
RT: 10.097 min Scan# 1374
Delta R.T. 0.097 min
Lab File: VY022052.D
Acq: 29 Apr 2025 13:09

Tgt Ion: 43 Resp: 1018
Ion Ratio Lower Upper
43 100
58 264.6 36.6 55.0#









#62
4-Bromofluorobenzene
Concen: 37.177 ug/l
RT: 12.408 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY022052.D
Acq: 29 Apr 2025 13:09




Instrument :
MSVOA_Y
ClientSampleId :
343RE


Tgt Ion: 95 Resp: 91832
Ion Ratio Lower Upper
95 100
174 90.4 0.0 179.0
176 87.5 0.0 171.8



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.414 min Scan# 1590
Delta R.T. -0.000 min
Lab File: VY022052.D
Acq: 29 Apr 2025 13:09

Tgt Ion: 117 Resp: 257253
Ion Ratio Lower Upper
117 100
82 53.5 42.1 63.1
119 31.3 25.7 38.5









#72
 1,4-Dichlorobenzene-d4
 Concen: 50.000 ug/l
 RT: 13.346 min Scan# 1907
 Delta R.T. -0.000 min
 Lab File: VY022052.D
 Acq: 29 Apr 2025 13:09




Instrument :
 MSVOA_Y
 ClientSampleId :
 343RE


Tgt Ion:152 Resp: 95186
 Ion Ratio Lower Upper
 152 100
 115 56.0 28.0 84.0
 150 154.7 0.0 345.6



#76
 1,2,3-Trichloropropane
 Concen: 52.997 ug/l
 RT: 12.408 min Scan# 1753
 Delta R.T. -0.146 min
 Lab File: VY022052.D
 Acq: 29 Apr 2025 13:09

Tgt Ion: 75 Resp: 43209
 Ion Ratio Lower Upper
 75 100
 77 1.6 0.0 0.0#





#81
 trans-1,4-Dichloro-2-butene
 Concen: 127.624 ug/l
 RT: 12.408 min Scan# 11
 Delta R.T. 0.110 min
 Lab File: VY022052.D
 Acq: 29 Apr 2025 13:09

Instrument :
 MSVOA_Y
 ClientSampleId :
 343RE

Tgt Ion: 75 Resp: 43209
 Ion Ratio Lower Upper
 75 100
 53 0.1 66.0 99.0#
 89 0.0 37.2 55.8#

