

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY050125\
 Data File : VY022103.D
 Acq On : 01 May 2025 13:28
 Operator : SY/MD
 Sample : Q1922-03
 Misc : 5.63g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 MH-R-VOC

Quant Time: May 02 01:29:54 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 23 02:30:30 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	301284	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	575618	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	508207	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	185584	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	147736	53.087	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	106.180%
35) Dibromofluoromethane	7.634	113	192387	50.590	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	101.180%
50) Toluene-d8	10.109	98	680203	47.445	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	94.880%
62) 4-Bromofluorobenzene	12.408	95	180430	37.385	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	74.760%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY050125\
Data File : VY022103.D
Acq On : 01 May 2025 13:28
Operator : SY/MD
Sample : Q1922-03
Misc : 5.63g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
MH-R-VOC

Quant Time: May 02 01:29:54 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 23 02:30:30 2025
Response via : Initial Calibration

