

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY050225\
 Data File : VY022120.D
 Acq On : 02 May 2025 11:25
 Operator : SY/MD
 Sample : VY0502SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0502SBL01

Quant Time: May 03 02:49:24 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 23 02:30:30 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	420631	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	766740	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	655107	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	242655	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	190184	48.950	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	97.900%
35) Dibromofluoromethane	7.634	113	246463	48.655	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	97.320%
50) Toluene-d8	10.103	98	896764	46.959	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	93.920%
62) 4-Bromofluorobenzene	12.408	95	364820	56.748	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	113.500%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY050225\
Data File : VY022120.D
Acq On : 02 May 2025 11:25
Operator : SY/MD
Sample : VY0502SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0502SBL01

Quant Time: May 03 02:49:24 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 23 02:30:30 2025
Response via : Initial Calibration

