

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY050225\
 Data File : VY022130.D
 Acq On : 02 May 2025 15:37
 Operator : SY/MD
 Sample : Q1935-03
 Misc : 5.93g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 MH-NN-VOC

Quant Time: May 03 02:51:35 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 23 02:30:30 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	259657	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.610	114	459476	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	392734	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	147134	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.055	65	123434	51.465	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	102.940%
35) Dibromofluoromethane	7.628	113	155410	51.197	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	102.400%
50) Toluene-d8	10.103	98	535982	46.835	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	93.680%
62) 4-Bromofluorobenzene	12.402	95	150281	39.009	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	78.020%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY050225\
Data File : VY022130.D
Acq On : 02 May 2025 15:37
Operator : SY/MD
Sample : Q1935-03
Misc : 5.93g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
MH-NN-VOC

Quant Time: May 03 02:51:35 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 23 02:30:30 2025
Response via : Initial Calibration

