

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY050225\
 Data File : VY022139.D
 Acq On : 02 May 2025 19:09
 Operator : SY/MD
 Sample : Q1937-08
 Misc : 7.13g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 LARGE-PILE-D

Quant Time: May 03 02:53:22 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 23 02:30:30 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	354313	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.609	114	663009	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	574061	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	210519	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	172752	52.785	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	105.580%
35) Dibromofluoromethane	7.628	113	215182	49.126	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	98.260%
50) Toluene-d8	10.103	98	793257	48.037	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	96.080%
62) 4-Bromofluorobenzene	12.401	95	220861	39.730	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	79.460%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY050225\
Data File : VY022139.D
Acq On : 02 May 2025 19:09
Operator : SY/MD
Sample : Q1937-08
Misc : 7.13g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
LARGE-PILE-D

Quant Time: May 03 02:53:22 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 23 02:30:30 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 982
Delta R.T. 0.000 min
Lab File: VY022139.D
Acq: 02 May 2025 19:09




Instrument :
MSVOA_Y
ClientSampleId :
LARGE-PILE-D


Tgt Ion:168 Resp: 354313
Ion Ratio Lower Upper
168 100
99 56.1 43.1 64.7



#33
1,2-Dichloroethane-d4
Concen: 52.785 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. -0.000 min
Lab File: VY022139.D
Acq: 02 May 2025 19:09

Tgt Ion: 65 Resp: 172752
Ion Ratio Lower Upper
65 100
67 51.7 0.0 105.8





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.609 min Scan# 1131

Delta R.T. -0.006 min

Lab File: VY022139.D

Acq: 02 May 2025 19:09

Instrument :

MSVOA_Y

ClientSampleId :

LARGE-PILE-D





Tgt Ion:114 Resp: 663009

Ion Ratio Lower Upper

114 100

63 18.5 0.0 35.4

88 15.0 0.0 28.2



#35

Dibromofluoromethane

Concen: 49.126 ug/l

RT: 7.628 min Scan# 969

Delta R.T. -0.006 min

Lab File: VY022139.D

Acq: 02 May 2025 19:09




Tgt Ion:113 Resp: 215182


Ion Ratio Lower Upper

113 100

111 103.6 81.8 122.8

192 20.1 15.6 23.4









#50
Toluene-d8
Concen: 48.037 ug/l
RT: 10.103 min Scan# 1375
Delta R.T. -0.000 min
Lab File: VY022139.D
Acq: 02 May 2025 19:09




Instrument :
MSVOA_Y
ClientSampleId :
LARGE-PILE-D


Tgt Ion: 98 Resp: 793257
Ion Ratio Lower Upper
98 100
100 64.0 51.6 77.4



#62
4-Bromofluorobenzene
Concen: 39.730 ug/l
RT: 12.401 min Scan# 1752
Delta R.T. -0.000 min
Lab File: VY022139.D
Acq: 02 May 2025 19:09

Tgt Ion: 95 Resp: 220861
Ion Ratio Lower Upper
95 100
174 86.4 0.0 179.0
176 82.6 0.0 171.8





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.414 min Scan# 11

Delta R.T. -0.000 min

Lab File: VY022139.D

Acq: 02 May 2025 19:09

Instrument :

MSVOA_Y

ClientSampleId :

LARGE-PILE-D





Tgt Ion:117 Resp: 574061

Ion Ratio Lower Upper

117 100

82 54.1 42.1 63.1

119 32.6 25.7 38.5



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.346 min Scan# 1907

Delta R.T. -0.000 min

Lab File: VY022139.D

Acq: 02 May 2025 19:09

Tgt Ion:152 Resp: 210519

Ion Ratio Lower Upper

152 100

115 56.8 28.0 84.0

150 155.2 0.0 345.6

