

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY050525\
 Data File : VY022150.D
 Acq On : 05 May 2025 11:37
 Operator : SY/MD
 Sample : Q1946-01
 Misc : 5.25g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BB-CONCRETE

Quant Time: May 06 05:20:20 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 23 02:30:30 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	284679	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	538593	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	460035	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	168569	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	137910	52.447	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	104.900%
35) Dibromofluoromethane	7.640	113	150971	42.429	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	84.860%
50) Toluene-d8	10.109	98	637385	47.515	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	95.020%
62) 4-Bromofluorobenzene	12.407	95	174671	38.679	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	77.360%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY050525\
Data File : VY022150.D
Acq On : 05 May 2025 11:37
Operator : SY/MD
Sample : Q1946-01
Misc : 5.25g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BB-CONCRETE

Quant Time: May 06 05:20:20 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 23 02:30:30 2025
Response via : Initial Calibration

