

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051122\
 Data File : VY008706.D
 Acq On : 11 May 2022 14:53
 Operator : KP/MD
 Sample : N2762-05RE
 Misc : 5.01g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SB15RE

Quant Time: May 12 06:28:53 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y050922S.M
 Quant Title : SW846 8260
 QLast Update : Mon May 09 19:21:20 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	4636	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.685	114	8634	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	8499	50.000	ug/l	# 0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	3109	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.143	65	3357	84.509	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	169.020%#
35) Dibromofluoromethane	7.716	113	3245	60.989	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	121.980%
50) Toluene-d8	10.179	98	10034	53.516	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	107.040%
62) 4-Bromofluorobenzene	12.483	95	3268	48.447	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	96.900%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051122\
Data File : VY008706.D
Acq On : 11 May 2022 14:53
Operator : KP/MD
Sample : N2762-05RE
Misc : 5.01g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SB15RE

Quant Time: May 12 06:28:53 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y050922S.M
Quant Title : SW846 8260
QLast Update : Mon May 09 19:21:20 2022
Response via : Initial Calibration

