

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY051225\  
 Data File : VY022218.D  
 Acq On : 12 May 2025 12:47  
 Operator : SY/MD  
 Sample : Q1983-26  
 Misc : 4.70g/5.0mL/MSVOA\_Y/SOIL/A  
 ALS Vial : 12 Sample Multiplier: 1

Instrument :  
 MSVOA\_Y  
 ClientSampleId :  
 OR-636-VOC-05

Quant Time: May 13 02:19:04 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y042225S.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Apr 23 02:30:30 2025  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 7.707  | 168  | 124746   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.615  | 114  | 207075   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.414 | 117  | 139167   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.346 | 152  | 30525    | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.061  | 65    | 84882    | 73.666   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 50 - 163 | Recovery | =    | 147.340% |
| 35) Dibromofluoromethane    | 7.634  | 113   | 85187    | 62.269   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 54 - 147 | Recovery | =    | 124.540% |
| 50) Toluene-d8              | 10.109 | 98    | 220714   | 42.794   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 58 - 134 | Recovery | =    | 85.580%  |
| 62) 4-Bromofluorobenzene    | 12.407 | 95    | 35192    | 20.269   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 30 - 143 | Recovery | =    | 40.540%  |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY051225\  
Data File : VY022218.D  
Acq On : 12 May 2025 12:47  
Operator : SY/MD  
Sample : Q1983-26  
Misc : 4.70g/5.0mL/MSVOA\_Y/SOIL/A  
ALS Vial : 12 Sample Multiplier: 1

Instrument :  
MSVOA\_Y  
ClientSampleId :  
OR-636-VOC-05

Quant Time: May 13 02:19:04 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y042225S.M  
Quant Title : SW846 8260  
QLast Update : Wed Apr 23 02:30:30 2025  
Response via : Initial Calibration








#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 7.707 min Scan# 91  
Delta R.T. 0.000 min  
Lab File: VY022218.D  
Acq: 12 May 2025 12:47




Instrument :  
MSVOA\_Y  
ClientSampleId :  
OR-636-VOC-05


Tgt Ion:168 Resp: 124746  
Ion Ratio Lower Upper  
168 100  
99 53.7 43.1 64.7



#33  
1,2-Dichloroethane-d4  
Concen: 73.666 ug/l  
RT: 8.061 min Scan# 1040  
Delta R.T. -0.000 min  
Lab File: VY022218.D  
Acq: 12 May 2025 12:47

Tgt Ion: 65 Resp: 84882  
Ion Ratio Lower Upper  
65 100  
67 52.2 0.0 105.8









#34  
1,4-Difluorobenzene  
Concen: 50.000 ug/l  
RT: 8.615 min Scan# 1131  
Delta R.T. -0.000 min  
Lab File: VY022218.D  
Acq: 12 May 2025 12:47




Instrument :  
MSVOA\_Y  
ClientSampleId :  
OR-636-VOC-05

Tgt Ion:114 Resp: 207075  
Ion Ratio Lower Upper  
114 100  
63 19.0 0.0 35.4  
88 14.7 0.0 28.2



#35  
Dibromofluoromethane  
Concen: 62.269 ug/l  
RT: 7.634 min Scan# 970  
Delta R.T. -0.000 min  
Lab File: VY022218.D  
Acq: 12 May 2025 12:47

Tgt Ion:113 Resp: 85187  
Ion Ratio Lower Upper  
113 100  
111 102.1 81.8 122.8  
192 19.5 15.6 23.4








#50  
Toluene-d8  
Concen: 42.794 ug/l  
RT: 10.109 min Scan# 1375  
Delta R.T. 0.006 min  
Lab File: VY022218.D  
Acq: 12 May 2025 12:47




Instrument :  
MSVOA\_Y  
ClientSampleId :  
OR-636-VOC-05


Tgt Ion: 98 Resp: 220714  
Ion Ratio Lower Upper  
98 100  
100 63.7 51.6 77.4



#62  
4-Bromofluorobenzene  
Concen: 20.269 ug/l  
RT: 12.407 min Scan# 1753  
Delta R.T. 0.006 min  
Lab File: VY022218.D  
Acq: 12 May 2025 12:47

Tgt Ion: 95 Resp: 35192  
Ion Ratio Lower Upper  
95 100  
174 89.9 0.0 179.0  
176 85.7 0.0 171.8





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.414 min Scan# 11

Delta R.T. -0.000 min

Lab File: VY022218.D

Acq: 12 May 2025 12:47

Instrument :

MSVOA\_Y

ClientSampleId :

OR-636-VOC-05





Tgt Ion:117 Resp: 139167

Ion Ratio Lower Upper

117 100

82 54.9 42.1 63.1

119 32.7 25.7 38.5



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.346 min Scan# 1907

Delta R.T. -0.000 min

Lab File: VY022218.D

Acq: 12 May 2025 12:47

Tgt Ion:152 Resp: 30525

Ion Ratio Lower Upper

152 100

115 55.7 28.0 84.0

150 154.3 0.0 345.6

