

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051624\
 Data File : VY018295.D
 Acq On : 16 May 2024 19:10
 Operator : SY/MD
 Sample : P2513-07
 Misc : 5.04g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-15

Quant Time: May 17 01:19:10 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y050724S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 08 01:40:14 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	30851	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	41770	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	18209	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	2801	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.142	65	5514	24.295	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	48.580%#
35) Dibromofluoromethane	7.710	113	8976	40.889	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	81.780%
50) Toluene-d8	10.179	98	40269	46.551	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	93.100%
62) 4-Bromofluorobenzene	12.483	95	4631	16.577	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	33.160%
Target Compounds						
16) Acetone	3.942	43	931	20.555	ug/l	Qvalue # 75

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051624\
Data File : VY018295.D
Acq On : 16 May 2024 19:10
Operator : SY/MD
Sample : P2513-07
Misc : 5.04g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-15

Quant Time: May 17 01:19:10 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y050724S.M
Quant Title : SW846 8260
QLast Update : Wed May 08 01:40:14 2024
Response via : Initial Calibration

