

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051625\
 Data File : VY022290.D
 Acq On : 16 May 2025 14:51
 Operator : SY/MD
 Sample : Q1982-08
 Misc : 6.05g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-9

Quant Time: May 17 01:34:08 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y051525S.M
 Quant Title : SW846 8260
 QLast Update : Fri May 16 01:42:09 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.707	168	263964	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.610	114	460977	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	322155	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	80191	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	136451	47.299	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	94.600%
35) Dibromofluoromethane	7.634	113	137715	50.053	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.100%
50) Toluene-d8	10.103	98	534411	47.425	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	94.860%
62) 4-Bromofluorobenzene	12.402	95	129325	36.208	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	72.420%
Target Compounds						
					Qvalue	
16) Acetone	3.873	43	1653	3.056	ug/l	99
31) Cyclohexane	7.695	56	7604	1.303	ug/l #	59
36) 1,1-Dichloropropene	7.701	75	22830	5.038	ug/l #	43
38) Carbon Tetrachloride	7.707	117	26651	5.681	ug/l #	17
76) 1,2,3-Trichloropropane	12.402	75	76664	94.365	ug/l #	100
81) trans-1,4-Dichloro-2-b...	12.402	75	76664	191.160	ug/l #	12


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051625\
Data File : VY022290.D
Acq On : 16 May 2025 14:51
Operator : SY/MD
Sample : Q1982-08
Misc : 6.05g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-9

Quant Time: May 17 01:34:08 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y051525S.M
Quant Title : SW846 8260
QLast Update : Fri May 16 01:42:09 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 982
Delta R.T. 0.000 min
Lab File: VY022290.D
Acq: 16 May 2025 14:51




Instrument :
MSVOA_Y
ClientSampleId :
TP-9


Tgt Ion:168 Resp: 263964
Ion Ratio Lower Upper
168 100
99 53.6 44.2 66.4



#16
Acetone
Concen: 3.056 ug/l
RT: 3.873 min Scan# 353
Delta R.T. 0.000 min
Lab File: VY022290.D
Acq: 16 May 2025 14:51

Tgt Ion: 43 Resp: 1653
Ion Ratio Lower Upper
43 100
58 28.9 23.6 35.4









#31
Cyclohexane
Concen: 1.303 ug/l
RT: 7.695 min Scan# 981
Delta R.T. -0.006 min
Lab File: VY022290.D
Acq: 16 May 2025 14:51




Instrument :
MSVOA_Y
ClientSampleId :
TP-9


Tgt Ion: 56 Resp: 7604
Ion Ratio Lower Upper
56 100
69 101.9 27.4 41.2#
84 97.8 70.0 105.0



#33
1,2-Dichloroethane-d4
Concen: 47.299 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. 0.000 min
Lab File: VY022290.D
Acq: 16 May 2025 14:51

Tgt Ion: 65 Resp: 136451
Ion Ratio Lower Upper
65 100
67 52.7 0.0 104.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.610 min Scan# 1131

Delta R.T. -0.006 min

Lab File: VY022290.D

Acq: 16 May 2025 14:51

Instrument :

MSVOA_Y

ClientSampleId :

TP-9





Tgt Ion:114 Resp: 460977

Ion Ratio Lower Upper

114 100

63 21.1 0.0 41.0

88 15.3 0.0 29.4



#35

Dibromofluoromethane

Concen: 50.053 ug/l

RT: 7.634 min Scan# 970

Delta R.T. 0.000 min

Lab File: VY022290.D

Acq: 16 May 2025 14:51




Tgt Ion:113 Resp: 137715


Ion Ratio Lower Upper

113 100

111 102.1 82.6 123.8

192 18.6 15.2 22.8





#36

1,1-Dichloropropene

Concen: 5.038 ug/l

RT: 7.701 min Scan# 981

Delta R.T. -0.134 min

Lab File: VY022290.D

Acq: 16 May 2025 14:51

Instrument :

MSVOA_Y

ClientSampleId :

TP-9





Tgt Ion: 75 Resp: 22830

Ion Ratio Lower Upper

75 100

110 0.0 16.6 49.8#

77 0.2 24.6 37.0#



#38

Carbon Tetrachloride

Concen: 5.681 ug/l

RT: 7.707 min Scan# 982

Delta R.T. -0.110 min

Lab File: VY022290.D

Acq: 16 May 2025 14:51




Tgt Ion: 117 Resp: 26651


Ion Ratio Lower Upper

117 100

119 5.1 75.3 112.9#

121 0.0 24.7 37.1#









#50
Toluene-d8
Concen: 47.425 ug/l
RT: 10.103 min Scan# 11
Delta R.T. 0.000 min
Lab File: VY022290.D
Acq: 16 May 2025 14:51




Instrument :
MSVOA_Y
ClientSampleId :
TP-9


Tgt Ion: 98 Resp: 534411
Ion Ratio Lower Upper
98 100
100 64.3 51.8 77.8



#62
4-Bromofluorobenzene
Concen: 36.208 ug/l
RT: 12.402 min Scan# 1752
Delta R.T. -0.006 min
Lab File: VY022290.D
Acq: 16 May 2025 14:51

Tgt Ion: 95 Resp: 129325
Ion Ratio Lower Upper
95 100
174 84.3 0.0 166.8
176 83.3 0.0 160.8





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.414 min Scan# 11

Delta R.T. 0.000 min

Lab File: VY022290.D

Acq: 16 May 2025 14:51

Instrument :

MSVOA_Y

ClientSampleId :

TP-9





Tgt Ion:117 Resp: 322155

Ion Ratio Lower Upper

117 100

82 54.4 46.6 70.0

119 31.2 25.8 38.6



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.346 min Scan# 1907

Delta R.T. 0.000 min

Lab File: VY022290.D

Acq: 16 May 2025 14:51




Tgt Ion:152 Resp: 80191


Ion Ratio Lower Upper

152 100

115 56.8 29.4 88.2

150 154.4 0.0 353.8





#76

1,2,3-Trichloropropane

Concen: 94.365 ug/l

RT: 12.402 min Scan# 1752

Delta R.T. -0.152 min

Lab File: VY022290.D

Acq: 16 May 2025 14:51

Instrument :

MSVOA_Y

ClientSampleId :





TP-9

Tgt Ion: 75 Resp: 76664

Ion Ratio Lower Upper

75 100

77 1.3 0.0 0.0#



#81

trans-1,4-Dichloro-2-butene

Concen: 191.160 ug/l

RT: 12.402 min Scan# 1752

Delta R.T. 0.098 min

Lab File: VY022290.D

Acq: 16 May 2025 14:51

Tgt Ion: 75 Resp: 76664

Ion Ratio Lower Upper

75 100

53 0.0 75.8 113.8#

89 0.0 36.2 54.2#

