

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY051724\  
 Data File : VY018320.D  
 Acq On : 17 May 2024 19:56  
 Operator : SY/MD  
 Sample : VSTDCCC050  
 Misc : 5.00g/5.0mL/MSVOA\_Y/SOIL  
 ALS Vial : 2 Sample Multiplier: 1

Instrument :  
 MSVOA\_Y  
 LabSampleId :  
 VSTDCCC050

Quant Time: May 18 00:56:07 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y050724S.M  
 Quant Title : SW846 8260  
 QLast Update : Wed May 08 01:40:14 2024  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|       | Compound                    | AvgRF | CCRF  | %Dev   | Area% | Dev(min) |
|-------|-----------------------------|-------|-------|--------|-------|----------|
| 1 I   | Pentafluorobenzene          | 1.000 | 1.000 | 0.0    | 58    | 0.00     |
| 2 T   | Dichlorodifluoromethane     | 0.397 | 0.357 | 10.1   | 51    | 0.00     |
| 3 P   | Chloromethane               | 0.531 | 0.600 | -13.0  | 61    | 0.00     |
| 4 C   | Vinyl Chloride              | 0.643 | 0.700 | -8.9#  | 58    | 0.00     |
| 5 T   | Bromomethane                | 0.447 | 0.456 | -2.0   | 57    | 0.00     |
| 6 T   | Chloroethane                | 0.408 | 0.463 | -13.5  | 61    | 0.00     |
| 7 T   | Trichlorofluoromethane      | 0.754 | 0.748 | 0.8    | 55    | 0.00     |
| 8 T   | Diethyl Ether               | 0.248 | 0.279 | -12.5  | 64    | 0.00     |
| 9 T   | 1,1,2-Trichlorotrifluoroeth | 0.480 | 0.464 | 3.3    | 53    | 0.00     |
| 10 T  | Methyl Iodide               | 0.561 | 0.568 | -1.2   | 51    | 0.00     |
| 11 T  | Tert butyl alcohol          | 0.037 | 0.046 | -24.3  | 83    | 0.00     |
| 12 CM | 1,1-Dichloroethene          | 0.484 | 0.465 | 3.9#   | 52    | 0.00     |
| 13 T  | Acrolein                    | 0.040 | 0.046 | -15.0  | 88    | 0.00     |
| 14 T  | Allyl chloride              | 0.615 | 0.701 | -14.0  | 62    | 0.00     |
| 15 T  | Acrylonitrile               | 0.095 | 0.128 | -34.7# | 78    | 0.00     |
| 16 T  | Acetone                     | 0.073 | 0.082 | -12.3  | 64    | 0.00     |
| 17 T  | Carbon Disulfide            | 1.316 | 1.296 | 1.5    | 50#   | 0.00     |
| 18 T  | Methyl Acetate              | 0.209 | 0.297 | -42.1# | 88    | 0.00     |
| 19 T  | Methyl tert-butyl Ether     | 1.077 | 1.312 | -21.8  | 70    | 0.00     |
| 20 T  | Methylene Chloride          | 0.519 | 0.574 | -10.6  | 66    | 0.00     |
| 21 T  | trans-1,2-Dichloroethene    | 0.513 | 0.536 | -4.5   | 56    | 0.00     |
| 22 T  | Diisopropyl ether           | 1.305 | 1.612 | -23.5  | 70    | 0.00     |
| 23 T  | Vinyl Acetate               | 0.793 | 1.000 | -26.1# | 72    | 0.00     |
| 24 P  | 1,1-Dichloroethane          | 0.804 | 0.942 | -17.2  | 65    | 0.00     |
| 25 T  | 2-Butanone                  | 0.117 | 0.151 | -29.1# | 76    | 0.00     |
| 26 T  | 2,2-Dichloropropane         | 0.727 | 0.712 | 2.1    | 54    | 0.00     |
| 27 T  | cis-1,2-Dichloroethene      | 0.606 | 0.660 | -8.9   | 59    | 0.00     |
| 28 T  | Bromochloromethane          | 0.321 | 0.404 | -25.9# | 75    | 0.00     |
| 29 T  | Tetrahydrofuran             | 0.077 | 0.105 | -36.4# | 82    | 0.00     |
| 30 C  | Chloroform                  | 0.839 | 0.970 | -15.6# | 64    | 0.00     |
| 31 T  | Cyclohexane                 | 0.763 | 0.769 | -0.8   | 57    | 0.00     |
| 32 T  | 1,1,1-Trichloroethane       | 0.752 | 0.794 | -5.6   | 58    | 0.00     |
| 33 S  | 1,2-Dichloroethane-d4       | 0.368 | 0.527 | -43.2# | 101   | 0.00     |
| 34 I  | 1,4-Difluorobenzene         | 1.000 | 1.000 | 0.0    | 69    | 0.00     |
| 35 S  | Dibromofluoromethane        | 0.263 | 0.293 | -11.4  | 88    | 0.00     |
| 36 T  | 1,1-Dichloropropene         | 0.377 | 0.351 | 6.9    | 59    | 0.00     |
| 37 T  | Ethyl Acetate               | 0.159 | 0.189 | -18.9  | 81    | 0.00     |
| 38 T  | Carbon Tetrachloride        | 0.412 | 0.347 | 15.8   | 54    | 0.00     |
| 39 T  | Methylcyclohexane           | 0.543 | 0.467 | 14.0   | 53    | 0.00     |
| 40 TM | Benzene                     | 1.212 | 1.169 | 3.5    | 62    | 0.00     |
| 41 T  | Methacrylonitrile           | 0.092 | 0.118 | -28.3# | 83    | -0.01    |
| 42 TM | 1,2-Dichloroethane          | 0.264 | 0.281 | -6.4   | 71    | 0.00     |
| 43 T  | Isopropyl Acetate           | 0.325 | 0.362 | -11.4  | 78    | 0.00     |
| 44 TM | Trichloroethene             | 0.330 | 0.282 | 14.5   | 54    | 0.00     |
| 45 C  | 1,2-Dichloropropane         | 0.265 | 0.269 | -1.5#  | 65    | 0.00     |
| 46 T  | Dibromomethane              | 0.152 | 0.153 | -0.7   | 68    | 0.00     |
| 47 T  | Bromodichloromethane        | 0.376 | 0.369 | 1.9    | 63    | 0.00     |
| 48 T  | Methyl methacrylate         | 0.149 | 0.159 | -6.7   | 75    | 0.00     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY051724\  
 Data File : VY018320.D  
 Acq On : 17 May 2024 19:56  
 Operator : SY/MD  
 Sample : VSTDCCC050  
 Misc : 5.00g/5.0mL/MSVOA\_Y/SOIL  
 ALS Vial : 2 Sample Multiplier: 1

Instrument :  
 MSVOA\_Y  
 LabSampleId :  
 VSTDCCC050

Quant Time: May 18 00:56:07 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y050724S.M  
 Quant Title : SW846 8260  
 QLast Update : Wed May 08 01:40:14 2024  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|       | Compound                    | AvgRF | CCRF  | %Dev  | Area% | Dev(min) |
|-------|-----------------------------|-------|-------|-------|-------|----------|
| 49 T  | 1,4-Dioxane                 | 0.002 | 0.002 | 0.0   | 67    | 0.00     |
| 50 S  | Toluene-d8                  | 1.035 | 1.100 | -6.3  | 84    | 0.00     |
| 51 T  | 4-Methyl-2-Pentanone        | 0.163 | 0.182 | -11.7 | 77    | 0.00     |
| 52 CM | Toluene                     | 0.780 | 0.695 | 10.9# | 57    | 0.00     |
| 53 T  | t-1,3-Dichloropropene       | 0.352 | 0.329 | 6.5   | 61    | 0.00     |
| 54 T  | cis-1,3-Dichloropropene     | 0.430 | 0.416 | 3.3   | 64    | 0.00     |
| 55 T  | 1,1,2-Trichloroethane       | 0.209 | 0.206 | 1.4   | 66    | 0.00     |
| 56 T  | Ethyl methacrylate          | 0.284 | 0.283 | 0.4   | 67    | 0.00     |
| 57 T  | 1,3-Dichloropropane         | 0.340 | 0.341 | -0.3  | 67    | 0.00     |
| 58 T  | 2-Chloroethyl Vinyl ether   | 0.136 | 0.145 | -6.6  | 84    | 0.00     |
| 59 T  | 2-Hexanone                  | 0.114 | 0.119 | -4.4  | 70    | 0.00     |
| 60 T  | Dibromochloromethane        | 0.271 | 0.248 | 8.5   | 61    | 0.00     |
| 61 T  | 1,2-Dibromoethane           | 0.197 | 0.191 | 3.0   | 66    | 0.00     |
| 62 S  | 4-Bromofluorobenzene        | 0.334 | 0.347 | -3.9  | 85    | 0.00     |
| 63 I  | Chlorobenzene-d5            | 1.000 | 1.000 | 0.0   | 70    | 0.00     |
| 64 T  | Tetrachloroethene           | 0.333 | 0.302 | 9.3   | 59    | 0.00     |
| 65 PM | Chlorobenzene               | 1.018 | 0.906 | 11.0  | 58    | 0.00     |
| 66 T  | 1,1,1,2-Tetrachloroethane   | 0.329 | 0.301 | 8.5   | 62    | 0.00     |
| 67 C  | Ethyl Benzene               | 1.719 | 1.531 | 10.9# | 58    | 0.00     |
| 68 T  | m/p-Xylenes                 | 0.680 | 0.594 | 12.6  | 57    | 0.00     |
| 69 T  | o-Xylene                    | 0.653 | 0.579 | 11.3  | 59    | 0.00     |
| 70 T  | Styrene                     | 1.090 | 0.974 | 10.6  | 59    | 0.00     |
| 71 P  | Bromoform                   | 0.182 | 0.160 | 12.1  | 60    | 0.00     |
| 72 I  | 1,4-Dichlorobenzene-d4      | 1.000 | 1.000 | 0.0   | 72    | 0.00     |
| 73 T  | Isopropylbenzene            | 3.749 | 3.211 | 14.4  | 58    | 0.00     |
| 74 T  | N-amyl acetate              | 0.778 | 0.763 | 1.9   | 71    | 0.00     |
| 75 P  | 1,1,2,2-Tetrachloroethane   | 0.598 | 0.565 | 5.5   | 68    | 0.00     |
| 76 T  | 1,2,3-Trichloropropane      | 0.400 | 0.387 | 3.3   | 71    | 0.00     |
| 77 T  | Bromobenzene                | 0.861 | 0.740 | 14.1  | 58    | 0.00     |
| 78 T  | n-propylbenzene             | 4.360 | 3.708 | 15.0  | 57    | 0.00     |
| 79 T  | 2-Chlorotoluene             | 2.423 | 2.048 | 15.5  | 58    | 0.00     |
| 80 T  | 1,3,5-Trimethylbenzene      | 2.956 | 2.519 | 14.8  | 58    | 0.00     |
| 81 T  | trans-1,4-Dichloro-2-butene | 0.208 | 0.172 | 17.3  | 57    | 0.00     |
| 82 T  | 4-Chlorotoluene             | 2.434 | 2.097 | 13.8  | 59    | 0.00     |
| 83 T  | tert-Butylbenzene           | 2.727 | 2.350 | 13.8  | 58    | 0.00     |
| 84 T  | 1,2,4-Trimethylbenzene      | 2.896 | 2.500 | 13.7  | 58    | 0.00     |
| 85 T  | sec-Butylbenzene            | 3.999 | 3.347 | 16.3  | 56    | 0.00     |
| 86 T  | p-Isopropyltoluene          | 3.290 | 2.757 | 16.2  | 56    | 0.00     |
| 87 T  | 1,3-Dichlorobenzene         | 1.663 | 1.421 | 14.6  | 58    | 0.00     |
| 88 T  | 1,4-Dichlorobenzene         | 1.621 | 1.381 | 14.8  | 58    | 0.00     |
| 89 T  | n-Butylbenzene              | 2.978 | 2.471 | 17.0  | 55    | 0.00     |
| 90 T  | Hexachloroethane            | 0.645 | 0.528 | 18.1  | 55    | 0.00     |
| 91 T  | 1,2-Dichlorobenzene         | 1.430 | 1.250 | 12.6  | 60    | 0.00     |
| 92 T  | 1,2-Dibromo-3-Chloropropane | 0.081 | 0.077 | 4.9   | 72    | 0.00     |
| 93 T  | 1,2,4-Trichlorobenzene      | 0.804 | 0.678 | 15.7  | 58    | 0.00     |
| 94 T  | Hexachlorobutadiene         | 0.443 | 0.358 | 19.2  | 52    | 0.00     |
| 95 T  | Naphthalene                 | 1.473 | 1.396 | 5.2   | 67    | 0.00     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY051724\  
Data File : VY018320.D  
Acq On : 17 May 2024 19:56  
Operator : SY/MD  
Sample : VSTDCCC050  
Misc : 5.00g/5.0mL/MSVOA\_Y/SOIL  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
MSVOA\_Y  
LabSampleId :  
VSTDCCC050

Quant Time: May 18 00:56:07 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y050724S.M  
Quant Title : SW846 8260  
QLast Update : Wed May 08 01:40:14 2024  
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 25% Max. Rel. Area : 150%

|      | Compound               | AvgRF | CCRF  | %Dev | Area% | Dev(min) |
|------|------------------------|-------|-------|------|-------|----------|
| 96 T | 1,2,3-Trichlorobenzene | 0.660 | 0.592 | 10.3 | 61    | 0.00     |

(#) = Out of Range                      SPCC's out = 0    CCC's out = 6