

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY051922\  
 Data File : VY008874.D  
 Acq On : 19 May 2022 17:45  
 Operator : KP/MD  
 Sample : N2841-13  
 Misc : 5.43g/5.0mL/MSVOA\_Y/SOIL  
 ALS Vial : 19 Sample Multiplier: 1

Instrument :  
 MSVOA\_Y  
 ClientSampleId :  
 P006-SS002-1218-01

Quant Time: May 20 02:53:16 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y051722S.M  
 Quant Title : SW846 8260  
 QLast Update : Wed May 18 07:32:50 2022  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 7.789  | 168  | 132590   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.691  | 114  | 239424   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.489 | 117  | 229322   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.428 | 152  | 100165   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.142  | 65    | 84409    | 68.623   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 50 - 163 | Recovery | =    | 137.240% |
| 35) Dibromofluoromethane    | 7.716  | 113   | 77122    | 55.130   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 54 - 147 | Recovery | =    | 110.260% |
| 50) Toluene-d8              | 10.179 | 98    | 305970   | 49.257   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 49 - 140 | Recovery | =    | 98.520%  |
| 62) 4-Bromofluorobenzene    | 12.483 | 95    | 88923    | 40.765   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 25 - 144 | Recovery | =    | 81.540%  |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY051922\  
Data File : VY008874.D  
Acq On : 19 May 2022 17:45  
Operator : KP/MD  
Sample : N2841-13  
Misc : 5.43g/5.0mL/MSVOA\_Y/SOIL  
ALS Vial : 19 Sample Multiplier: 1

Instrument :  
MSVOA\_Y  
ClientSampleId :  
P006-SS002-1218-01

Quant Time: May 20 02:53:16 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y051722S.M  
Quant Title : SW846 8260  
QLast Update : Wed May 18 07:32:50 2022  
Response via : Initial Calibration









#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 7.789 min Scan# 91  
Delta R.T. -0.000 min  
Lab File: VY008874.D  
Acq: 19 May 2022 17:45




Instrument :  
MSVOA\_Y  
ClientSampleId :  
P006-SS002-1218-01


Tgt Ion:168 Resp: 132590  
Ion Ratio Lower Upper  
168 100  
99 52.9 46.9 70.3



#33  
1,2-Dichloroethane-d4  
Concen: 68.623 ug/l  
RT: 8.142 min Scan# 1037  
Delta R.T. 0.000 min  
Lab File: VY008874.D  
Acq: 19 May 2022 17:45

Tgt Ion: 65 Resp: 84409  
Ion Ratio Lower Upper  
65 100  
67 52.3 0.0 99.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.691 min Scan# 1127

Delta R.T. 0.000 min

Lab File: VY008874.D

Acq: 19 May 2022 17:45

Instrument :

MSVOA\_Y

ClientSampleId :

P006-SS002-1218-01





Tgt Ion:114 Resp: 239424

Ion Ratio Lower Upper

114 100

63 18.4 0.0 43.2

88 13.7 0.0 31.8



#35

Dibromofluoromethane

Concen: 55.130 ug/l

RT: 7.716 min Scan# 967

Delta R.T. -0.000 min

Lab File: VY008874.D

Acq: 19 May 2022 17:45




Tgt Ion:113 Resp: 77122


Ion Ratio Lower Upper

113 100

111 102.2 82.6 124.0

192 18.4 17.6 26.4









#50  
Toluene-d8  
Concen: 49.257 ug/l  
RT: 10.179 min Scan# 1371  
Delta R.T. -0.000 min  
Lab File: VY008874.D  
Acq: 19 May 2022 17:45




Instrument :  
MSVOA\_Y  
ClientSampleId :  
P006-SS002-1218-01

Tgt Ion: 98 Resp: 305970  
Ion Ratio Lower Upper  
98 100  
100 63.3 50.2 75.2



#62  
4-Bromofluorobenzene  
Concen: 40.765 ug/l  
RT: 12.483 min Scan# 1749  
Delta R.T. 0.000 min  
Lab File: VY008874.D  
Acq: 19 May 2022 17:45


Tgt Ion: 95 Resp: 88923  
Ion Ratio Lower Upper  
95 100  
174 90.0 0.0 177.0  
176 87.2 0.0 175.8








#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.489 min Scan# 117  
Delta R.T. -0.000 min  
Lab File: VY008874.D  
Acq: 19 May 2022 17:45

Instrument :  
MSVOA\_Y  
ClientSampleId :  
P006-SS002-1218-01



Tgt Ion:117 Resp: 229322  
Ion Ratio Lower Upper  
117 100  
82 56.0 43.0 64.4  
119 31.9 25.4 38.0



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 13.428 min Scan# 1904  
Delta R.T. 0.000 min  
Lab File: VY008874.D  
Acq: 19 May 2022 17:45

Tgt Ion:152 Resp: 100165  
Ion Ratio Lower Upper  
152 100  
115 55.9 28.2 84.7  
150 156.1 0.0 347.6

