

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051925\
 Data File : VY022309.D
 Acq On : 19 May 2025 11:28
 Operator : SY/MD
 Sample : Q2057-03
 Misc : 4.36g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 MH-L-VOC

Quant Time: May 20 01:11:26 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y051525S.M
 Quant Title : SW846 8260
 QLast Update : Fri May 16 01:42:09 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	294100	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	516997	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	411990	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	150600	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	147142	45.778	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	91.560%
35) Dibromofluoromethane	7.634	113	151265	49.021	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	98.040%
50) Toluene-d8	10.109	98	618443	48.936	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.880%
62) 4-Bromofluorobenzene	12.408	95	155193	38.742	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	77.480%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051925\
Data File : VY022309.D
Acq On : 19 May 2025 11:28
Operator : SY/MD
Sample : Q2057-03
Misc : 4.36g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
MH-L-VOC

Quant Time: May 20 01:11:26 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y051525S.M
Quant Title : SW846 8260
QLast Update : Fri May 16 01:42:09 2025
Response via : Initial Calibration

