

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051925\
 Data File : VY022310.D
 Acq On : 19 May 2025 11:51
 Operator : SY/MD
 Sample : Q2048-03
 Misc : 5.78g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 L2-WC-1-VOC

Quant Time: May 20 01:11:47 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y051525S.M
 Quant Title : SW846 8260
 QLast Update : Fri May 16 01:42:09 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	297104	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	525311	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	421683	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	160431	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	149886	46.160	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	92.320%
35) Dibromofluoromethane	7.634	113	152817	48.740	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	97.480%
50) Toluene-d8	10.103	98	626229	48.768	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.540%
62) 4-Bromofluorobenzene	12.408	95	164230	40.350	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	80.700%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051925\
Data File : VY022310.D
Acq On : 19 May 2025 11:51
Operator : SY/MD
Sample : Q2048-03
Misc : 5.78g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
L2-WC-1-VOC

Quant Time: May 20 01:11:47 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y051525S.M
Quant Title : SW846 8260
QLast Update : Fri May 16 01:42:09 2025
Response via : Initial Calibration

